6/1/82 S1200-1(4)

State of Connecticut

One Hundred and Thirty-Third

REGISTRATION REPORT

1980

BEST AVAILABLE COPY

STATE OF CONNECTICUT

ONE HUNDRED AND THIRTY-THIRD
REGISTRATION REPORT

of

Births, Marriages, Divorces and Deaths

for the

YEAR ENDED DECEMBER 31, 1980

Issued by

THE STATE DEPARTMENT OF HEALTH SERVICES

HARTFORD

Published by the State

Price $10.00

DEPARTMENT OF HEALTH SERVICES

HARTFORD, April 1, 1983

To His Excellency, William A. O'Neill, Governor of the State of Connecticut:

Sir:

In compliance with the laws of the State, I have the honor to present to you the one hundred and thirty-third report, relating to the births, marriages, divorces and deaths that were registered in Connecticut in the year 1980.

Very respectifully,
DOUGLAS S. LLOYD, M.D., M.P.H.
Commissioner of Health Services

Douglas S. Lloyd, M.D., M.P.H.
Commissioner of Health Services

Sir:

I have the honor to submit herewith the annual registration report for the year 1980, prepared by the Statistics and Demography Unit of the Division of Health Statistics. At this time I wish to express my appreciation of the work performed by the unit staff in preparing this report.

MERTON S. HONEYMAN, Ph.D.
Director, Division of Health Statistics

HAROLD BURDO, M.P.H.
Registrar, Vital Records

ROSALIND S. BENNETT, B.S.
Research Analyst, Statistics & Demography Unit

CONTENTS

Vital Statistics for 1980	Page
Summary for Year	4
Population, 1980 Census	4
Births	5
Fetal Deaths	5
Deaths	5
Leading Causes of Death	5
Infant Mortality	6
Marriages	6
Divorces	6

TABLES

Table No.		Table No. In Previous Reports	
1	Population, census 1980, by age and sex	III	7
2	Census of population and vital statistics by towns of residence	14	8
3	Live births, Connecticut residents by age of mother	4	15
4	Live births to residents of Connecticut towns by race, low birthweight and maternal age	-	16
5	Fetal deaths occurring in Connecticut	5	29
6	Causes of fetal deaths occurring in Connecticut	6	30
7	Causes of death, Connecticut residents	10	31
8	Causes of death among nonwhites	11	35
9	Deaths under one year of age (infants)	18	39
10	Selected causes of infant deaths	13	44
11	Leading causes of death by age groups	XIII	48
12	Number of present marriage for brides and grooms	24	50
13	Previous marital status of brides and grooms	23	50
14	Dissolution of marriages	25	51
15	Children under 18 involved in dissolution of marriages	XXXVIII	51
16	Duration of marriages dissolved in 1980	XXXVII	51
	Glossary		52
	Rates, calculation of		53
	Appendix		54
I	Vital statistics 1850-1980	1	56
II	Selected causes of death, 1900-1980	2	58
III	Intercensal adjustment of population by age and sex, 1970-1980		62

REGISTRATION REPORT OF VITAL STATISTICS IN CONNECTICUT

The Annual Registration Report of Vital Statistics, 1980, is a statistical summary of vital events for the State of Connecticut. Presented are data pertaining to births, deaths, marriages, and divorces.

Certain qualifications must be made with regard to the data contained herein, and should be kept in mind when examining data sets:

A. Completeness of Registration
The Connecticut Department of Health Services reciprocates with other states and the provinces of Canada in exchanging copies of birth and death records for non-residents. Registration of births in Connecticut is 99.9% complete and there is virtually no underreporting of deaths. Because there is no interstate transfer of marriage, divorce and fetal death records, it is not possible to determine the completeness of registration of these events to Connecticut residents.

B. Comparability of Cause-of-Death Data
The system for classifying causes of death, the International Classification of Diseases (ICD), is revised every ten years to reflect changes in medical practices and new medical knowledge. Each revision results in a degree of discontinuity in cause-of-death statistics. A ratio of comparability must be used to adjust for changes in classification from one ICD revision to another. Causes of death in 1980 were coded using the ninth revision of the ICD which became effective in 1979.

C. Comparison of Rates
Caution should be used in drawing conclusions based on rates which are calculated from small numbers of events or for small geographic areas. Because these rates may vary considerably, use of them for comparison purposes or for estimating future events will be limited.

D. Deletions from Previous Reports
This Registration Report of 1980 reflects a continuation of the form and content initiated with the 1978 report. Accordingly, many tables which have appeared in past registration reports have not and will no longer be printed. Needs of the principal readers of this report were used to establish the criteria for selection of tables and other information here presented. However, data published in past reports will continue to be compiled and will be on file for distribution on request. This information can be obtained by contacting the Statistics and Demography Unit of the Division of Health Statistics, 79 Elm Street, Hartford, Connecticut 06106, 566-5451 or 566-8515.

POPULATION

The United States Census of Population, 1980, showed that Connecticut had a total population of 3,107,576, an increase of 75,867 over the 1970 census.

The total natural increase (difference between births and deaths) for the decade was 133,385, indicating that there was a net out-migration of 57,518 during the decade of the seventies. The average annual gain in population, during the decade, for the State of Connecticut was 7,587.

BIRTHS

In 1980 the number of resident live births was 38,750. This represents an increase of 102 from 1979 and an increase in the birth rate to 12.5 per 1,000 population. Only 797 births, or 2.1% of all births to Connecticut residents, occurred out-of-state. There was a total of 4,404 births to teenage mothers (19 years of age or less), or 11.4%, a decrease of 0.5% from 1979.

Fetal Deaths

The fetal death rate decreased in 1980 with a total count of 292 or 7.5 deaths per 1,000 births compared to 333 deaths and a rate of 8.6 in 1979.

DEATHS

The number of registered deaths among Connecticut residents for 1980 was 27,258, for a crude rate of 8.8 per 1,000 population. Of the total number of resident deaths, 14,216 were males and 13,042 were females.

Of the total resident deaths, the greatest number occurred among persons 80 years of age or over. Deaths in this age group numbered 9,357 in 1980, or 34.3% of the total number of resident deaths. The median age at death was 73.9. Death for females occurred at an older age than males, 77.9, compared to 70.3, respectively.

Leading Causes of Death

In 1980 the five leading causes of death, in the order of their proportional share, were diseases of the heart, malignant neoplasms, cerebrovascular disease, accidents, and pneumonia and influenza. The leading cause of death among the 15 to 34 age group was accidents. Among the 35 to 44 group the leading cause was malignant neoplasms, and for those over 65, diseases of the heart was the leading cause of death.

Diseases of the Heart

Heart diseases accounted for 10,338 resident deaths in 1980, for a total proportional share of 37.9%. This reflects a decrease of 1.1% from the proportional share of 39.0% for this cause in 1979. The median age at death from heart disease was 77.2. Acute myocardial infarction claimed a 36.0% share of total heart disease mortality with a 40.6% share attributed to other ischemic heart disease. Median age at death from myocardial infarction was 72.9; for other ischemic heart disease, median age was 81.0.

Malignant Neoplasms

There were 6,510 deaths attributed to malignant neoplasms in 1980, a proportional share of 23.9% of all resident mortality. The median age at death due

to cancer in both sexes was 69.5. Malignant neoplasms of the digestive organs accounted for 27.6% of all deaths in this category. This site is followed by malignant neoplasms of the respiratory system (24.0%) of the genitourinary system (14.9%) of the breast (9.4%), and of the lymphatic and hematopoietic tissue (9.2%).

Cerebrovascular Disease

Cerebrovascular disease was responsible for 2,081 resident deaths in Connecticut. This cause of death had a proportional share of 7.6% of total resident deaths, a decrease from 1979 when this cause accounted for 8.3% of total resident deaths. The median age at death from cerebrovascular disease was 81.3.

Accidents

A total of 1,105 accidents, of all types, accounted for 4.1% of all resident deaths in 1980. Of this total 52.2% was attributed to resident motor vehicle accidents. For those 24 years of age and less, the share in motor vehicle accidental deaths was 48.7%. The leading cause of non-motor vehicle accidents was falls, which had a 12.4% share of the total accidents.

Pneumonia and Influenza

Deaths from these causes amounted to 3.3% of total resident deaths. The crude mortality rate increased 8.9% from the 1979 crude rate.

Infant Deaths

There were 429 resident infant deaths in Connecticut in 1980, a rate of 11.1 per 1,000 live births, compared to the previous year's total of 466, or 12.1 deaths per 1,000 live births. From 1979, this represents a decrease in infant deaths by 1.0%. Connecticut still contrasts favorably with the national rate of 12.5 per 1,000 live births. Of all resident infant deaths, 43.8% occurred within the first day, 63.6% within the first week, and 72.7% within the first month. Neonatal deaths showed a 12.8% decrease from 358 in 1979 to 312 in the current year.

MARRIAGES

Marriages occurring in Connecticut totaled 26,048 in 1980, an increase of 617 or 2.4% from the previous year. The current year's total represents a marriage rate of 16.8 persons marrying per 1,000 population. The median age at marriage for grooms was 25.7, and for brides, 23.5, a decrease from 1979 when median age for grooms was 26.2 and for brides 24.3.

MARRIAGE DISSOLUTIONS

There were 13,488 marriages dissolved in Connecticut during 1980, for a marriage dissolution rate of 8.7 persons per 1,000 population. The current rate represents a 2.2% decrease from the previous year.

Duration of Marriage

The median duration of those marriages which terminated in 1980 was 8.0 years, compared to a median duration in 1979 of 8.2 years.

TABLE 1: POPULATION OF CONNECTICUT, BY AGE AND SEX
CENSUS OF THE UNITED STATES, 1980

AGE GROUP	MALE	FEMALE	TOTAL
TOTAL	1,498,005	1,609,571	3,107,576
Total Under 5	94,479	90,709	185,188
Under 1 year*	19,919	18,831	38,750
1- 4	74,560	71,878	146,438
5- 9	105,508	100,250	205,758
10-14	130,582	125,701	256,283
15-19	146,275	142,108	288,383
20-24	135,362	137,020	272,382
25-29	123,182	126,078	249,260
30-34	117,419	124,454	241,873
35-39	99,619	104,860	204,479
40-44	79,838	84,985	164,823
45-49	78,231	83,418	161,649
50-54	85,632	91,620	177,252
55-59	85,285	93,427	178,712
60-64	73,078	83,592	156,670
65-69	56,435	69,980	126,415
70-74	38,383	54,919	93,302
75-79	24,333	41,748	66,081
80-84	14,051	29,286	43,337
85 and over	10,313	25,416	35,729
Median Age	30.6	33.3	32.0

*Live births during the year have traditionally been used for population under one year of age.

TABLE 2: CENSUS OF POPULATIONS AND VITAL STATISTICS OF CONNECTICUT, 1980

TOWN	Census of Connecticut Population, 1980	Place of Occurrence				Place of Residence												
						Live Births				Fetal Deaths		Total Deaths		Marriages		RESIDENT RATES PER 1,000 POPULATION		
						Total		Out of Wedlock										
		Live Births	Fetal Deaths	Deaths	Marriages	All Races	Nonwhite	All Races	Nonwhite	All Races	Nonwhite	All Races	Nonwhite	Groom	Bride	Live Births	Deaths	Persons Marrying
Column Number	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18
CONNECTICUT	3,107,576*	38,526	301	27,509	26,048	38,750	5,156	6,964	2,951	292	54	27,258	1,378	22,523	23,786	12.5	8.8	14.9
HSA I, Southwestern	626,443	8,119	67	5,465	5,215	7,521	1,548	1,751	927	67	20	5,702	405	4,070	4,456	12.0	9.1	13.6
Bridgeport	142,546	4,329	29	2,298	1,116	2,646	821	1,074	550	19	9	1,629	194	1,203	1,143	18.6	11.4	16.5
Darien	18,892	-	-	58	208	158	1	8	-	2	-	144	1	83	117	8.4	7.6	10.6
Easton	5,962	-	-	11	30	39	1	1	-	-	-	33	-	18	31	6.5	5.5	8.2
Fairfield	54,849	-	-	253	437	461	11	26	2	2	-	472	2	277	374	8.4	8.6	11.9
Greenwich	59,578	821	9	630	571	484	16	20	3	5	-	589	13	267	356	8.1	9.9	10.5
Monroe	14,010	-	-	11	69	163	2	6	-	1	-	67	-	89	100	11.6	4.8	13.5
New Canaan	17,931	-	-	58	184	123	3	6	2	2	-	105	4	83	103	6.9	5.9	10.4
Norwalk	77,767	1,329	11	803	599	1,077	257	228	139	15	6	627	72	604	616	13.8	8.1	15.7
Stamford	102,453	1,638	18	977	869	1,313	374	291	206	12	4	959	101	765	799	12.8	9.4	15.3
Stratford	50,541	-	-	154	421	516	48	66	23	3	1	522	15	303	368	10.2	10.3	13.3
Trumbull	32,989	1	-	88	271	239	11	10	2	2	-	228	2	146	182	7.2	6.9	9.9
Weston	8,284	-	-	9	63	58	1	3	-	2	-	38	-	42	42	7.0	4.6	10.1
Westport	25,290	1	-	90	289	163	-	10	-	2	-	196	1	132	156	6.4	7.8	11.4
Wilton	15,351	-	-	25	88	81	2	2	-	-	-	93	-	58	69	5.3	6.1	8.3
HSA II, South Central	597,180	8,008	63	5,890	4,728	7,569	1,261	1,470	768	47	12	5,498	357	4,379	4,460	12.7	9.2	14.8
Ansonia	19,039	1	-	21	155	250	39	48	25	1	-	202	11	132	137	13.1	10.6	14.1
Bethany	4,330	-	-	5	23	41	1	1	1	-	-	26	-	23	22	9.5	6.0	10.4
Branford	23,363	-	-	267	214	281	5	24	1	1	-	210	3	217	194	12.0	9.0	17.6
Derby	12,346	694	3	464	123	180	1	33	-	1	-	135	3	104	113	14.6	10.9	17.6
East Haven	25,028	-	-	44	186	261	1	22	1	1	-	205	-	176	200	10.4	8.2	15.0
Guilford	17,375	1	-	75	153	236	2	12	-	2	-	124	3	118	136	13.6	7.1	14.6
Hamden	51,071	-	-	269	327	505	58	42	14	3	1	547	15	313	322	9.9	10.7	12.4
Madison	14,031	-	-	42	118	147	-	5	-	1	-	100	1	78	92	10.5	7.1	12.1
Meriden	57,118	1,033	3	611	470	774	46	107	23	1	-	520	8	473	476	13.6	9.1	16.6
Milford	50,898	434	2	371	436	597	14	45	2	4	-	410	6	402	416	11.7	8.1	16.1
New Haven	126,109	5,841	54	2,780	1,138	2,018	952	952	657	16	9	1,369	281	937	902	16.0	10.9	14.6
North Branford	11,554	-	-	6	85	132	-	2	-	-	-	58	1	63	84	11.4	5.0	12.7
North Haven	22,080	2	1	42	146	173	8	10	2	1	1	182	2	138	161	7.8	8.2	13.5

TABLE 2: CENSUS OF POPULATIONS AND VITAL STATISTICS OF CONNECTICUT, 1980

TOWN	Census of Connecticut Population, 1980	Place of Occurrence				Place of Residence												
						Live Births				Fetal Deaths		Total Deaths		Marriages		RESIDENT RATES PER 1,000 POPULATION		
						Total		Out of Wedlock										
		Live Births	Fetal Deaths	Deaths	Marriages	All Races	Nonwhite	All Races	Nonwhite	All Races	Nonwhite	All Races	Nonwhite	Groom	Bride	Live Births	Deaths	Persons Marrying
Column Number	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18
HSA II, South Central Cont'd.																		
Orange	13,237	-	-	45	93	85	1	3	-	2	-	93	-	51	74	6.4	7.0	9.4
Oxford	6,634	-	-	10	55	112	2	7	1	-	-	50	-	38	34	16.9	7.5	10.9
Seymour	13,434	-	-	33	76	164	2	10	-	-	-	116	-	120	95	12.2	8.6	16.0
Shelton	31,314	-	-	152	177	419	15	27	1	5	-	231	1	189	194	13.4	7.4	12.2
Wallingford	37,274	1	-	202	307	422	8	22	1	3	-	342	3	277	277	11.3	9.2	14.9
West Haven	53,184	1	-	459	340	701	101	93	38	5	1	521	18	497	482	13.2	9.8	18.4
Woodbridge	7,761	-	-	12	106	71	5	5	1	-	-	57	1	33	49	9.1	7.3	10.6
HSA III, Eastern	497,893	5,303	34	3,911	4,468	6,756	420	780	155	43	3	4,149	92	3,872	4,028	13.6	8.3	15.9
Ashford	3,221	-	-	2	38	43	2	1	-	1	-	16	-	36	39	13.3	5.0	23.3
Bozrah	2,135	-	-	1	23	23	-	2	-	-	-	15	-	12	15	10.8	7.0	12.6
Brooklyn	5,691	-	-	23	56	75	1	5	-	-	-	52	-	34	50	13.2	9.1	14.8
Canterbury	3,426	-	1	5	18	55	-	4	-	1	-	28	1	18	23	16.1	8.2	12.0
Chaplin	1,793	-	-	5	13	26	1	3	1	-	-	12	-	11	15	14.5	6.7	14.5
Chester	3,068	-	-	25	41	46	-	3	-	-	-	35	-	31	26	15.0	11.4	18.6
Clinton	11,195	-	-	21	83	175	4	14	-	-	-	92	-	91	99	15.6	8.2	17.0
Colchester	7,761	1	-	31	66	129	3	7	1	1	-	71	-	83	86	16.6	9.1	21.8
Columbia	3,386	-	-	1	54	22	-	-	-	1	-	26	-	27	27	6.5	7.7	15.9
Coventry	8,895	2	-	7	52	146	1	10	-	2	-	52	-	69	72	16.4	5.8	15.9
Cromwell	10,265	-	-	42	58	129	8	5	1	-	-	80	2	70	71	12.6	7.8	13.7
Deep River	3,994	-	-	24	34	51	2	2	-	-	-	40	-	38	33	12.8	10.0	17.8
Durham	5,143	1	-	5	47	50	1	3	-	-	-	31	-	35	35	9.7	6.0	13.6
Eastford	1,028	-	-	1	7	12	-	1	-	-	-	2	-	3	5	11.7	1.9	7.8
East Haddam	5,621	-	-	16	65	86	3	2	-	-	-	43	-	44	43	15.3	7.6	15.5
East Hampton	8,572	3	1	30	71	131	1	5	-	1	-	63	-	56	60	15.3	7.3	13.5
East Lyme	13,870	-	-	17	130	161	1	14	-	3	-	111	-	122	125	11.6	8.0	17.8
Essex	5,078	2	-	49	54	37	-	2	-	-	-	72	1	36	32	7.3	14.2	13.4
Franklin	1,592	-	-	2	4	13	-	-	-	-	-	13	-	13	8	8.2	8.2	13.2
Griswold	8,967	-	-	23	60	131	2	13	-	3	-	89	-	60	66	14.6	9.9	14.1
Groton	41,062	826	8	170	392	759	64	65	6	4	-	234	5	342	320	18.5	5.7	16.1

TABLE 2: CENSUS OF POPULATIONS AND VITAL STATISTICS OF CONNECTICUT, 1980

TOWN	Census of Connecticut Population, 1980	Place of Occurrence				Place of Residence										RESIDENT RATES PER 1,000 POPULATION		
						Live Births				Fetal Deaths		Total Deaths		Marriages				
						Total		Out of Wedlock										
		Live Births	Fetal Deaths	Deaths	Marriages	All Races	Nonwhite	All Races	Nonwhite	All Races	Nonwhite	All Races	Nonwhite	Groom	Bride	Live Births	Deaths	Persons Marrying
Column Number	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18
HSA III, Eastern Cont'd.																		
Haddam	6,383	-	-	8	39	62	2	3	-	-	-	39	-	42	40	9.7	6.1	12.8
Hampton	1,322	-	-	7	12	25	1	-	-	-	-	22	-	14	10	18.9	16.6	18.2
Killingly	14,519	-	-	118	139	259	4	28	1	-	-	144	1	136	130	17.8	9.9	18.3
Killingworth	3,976	2	-	8	31	46	-	1	-	-	-	44	-	20	30	11.6	11.1	12.6
Lebanon	4,762	1	-	2	34	59	-	3	-	1	-	23	-	33	27	12.4	4.8	12.6
Ledyard	13,735	1	-	11	78	211	14	21	3	-	-	42	2	77	102	15.4	3.1	13.0
Lisbon	3,279	-	-	6	17	54	-	6	-	1	-	25	-	20	19	16.5	7.6	11.9
Lyme	1,822	-	-	-	8	18	-	3	-	-	-	14	-	9	11	9.9	7.7	11.0
Mansfield	20,634	-	-	18	105	100	8	8	1	-	-	72	-	90	90	4.8	3.5	8.7
Middlefield	3,796	1	-	5	23	38	-	4	-	-	-	30	-	26	22	10.0	7.9	12.6
Middletown	39,040	912	2	760	311	462	83	79	43	2	1	348	15	355	326	11.8	8.9	17.4
Montville	16,455	-	-	16	110	253	9	30	4	2	-	97	1	120	139	15.4	5.9	15.7
New London	28,842	1,257	6	617	443	502	132	159	74	5	2	315	45	260	287	17.4	10.9	19.0
North Stonington	4,219	1	-	4	39	55	-	5	-	-	-	20	-	17	33	13.0	4.7	11.9
Norwich	38,074	1,114	8	765	415	631	43	94	14	3	-	468	7	368	393	16.6	12.3	20.0
Old Lyme	6,159	-	-	13	83	69	-	5	-	-	-	43	-	42	51	11.2	7.0	15.1
Old Saybrook	9,287	1	-	103	110	93	3	8	-	1	-	86	1	67	69	10.0	9.3	14.6
Plainfield	12,774	1	-	44	97	172	-	23	-	1	-	98	-	96	106	13.5	7.7	15.8
Pomfret	2,775	2	-	5	49	41	-	2	-	-	-	19	-	19	18	14.8	6.8	13.3
Portland	8,383	-	-	43	84	80	4	3	-	-	-	87	1	53	56	9.5	10.4	13.0
Preston	4,644	-	-	29	37	33	-	3	-	-	-	31	-	36	35	7.1	6.7	15.3
Putnam	8,580	740	4	283	76	111	-	21	-	2	-	104	-	70	71	12.9	12.1	16.4
Salem	2,335	-	-	2	17	33	-	2	-	2	-	6	-	23	22	14.1	2.6	19.3
Scotland	1,072	-	-	3	7	8	-	-	-	-	-	10	-	5	7	7.5	9.3	11.2
Sprague	2,996	-	-	2	21	55	1	3	-	-	-	29	-	31	34	18.4	9.7	21.7
Sterling	1,791	-	-	4	12	27	-	2	-	-	-	14	-	17	12	15.1	7.8	16.2
Stonington	16,220	-	-	48	200	186	6	21	2	1	-	176	2	96	121	11.5	10.9	13.4
Thompson	8,141	2	-	10	68	97	-	12	-	-	-	71	-	39	47	11.9	8.7	10.6
Union	546	-	-	-	9	7	-	-	-	-	-	7	-	4	5	12.8	12.8	16.5

TABLE 2: CENSUS OF POPULATIONS AND VITAL STATISTICS OF CONNECTICUT, 1980

TOWN	Census of Connecticut Population, 1980	Place of Occurrence				Place of Residence												
						Live Births				Fetal Deaths		Total Deaths		Marriages		RESIDENT RATES PER 1,000 POPULATION		
						Total		Out of Wedlock										
		Live Births	Fetal Deaths	Deaths	Marriages	All Races	Nonwhite	All Races	Nonwhite	All Races	Nonwhite	All Races	Nonwhite	Groom	Bride	Live Births	Deaths	Persons Marrying
Column Number	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18
HSA III, Eastern Cont'd.																		
Voluntown	1,637	-	-	1	24	28	1	5	1	-	-	13	-	12	13	17.1	7.9	15.3
Waterford	17,843	1	-	138	147	151	4	7	-	-	-	151	3	159	151	8.5	8.5	17.4
Westbrook	5,216	-	-	12	54	44	1	6	-	-	-	63	-	48	47	8.4	12.1	18.2
Willington	4,694	-	-	14	18	54	-	2	-	1	-	21	-	34	36	11.5	4.5	14.9
Windham	21,062	432	4	301	155	338	9	49	3	4	-	203	4	169	176	16.0	9.6	16.4
Woodstock	5,117	-	-	11	30	54	1	1	-	-	-	37	1	34	42	10.6	7.2	14.9
HSA IV, North Central	895,166	11,723	84	7,970	7,834	10,987	1,508	2,191	868	73	14	7,658	408	6,930	7,381	12.3	8.6	16.0
Andover	2,144	-	-	2	13	31	1	1	-	-	-	15	-	22	16	14.5	7.0	17.7
Avon	11,201	-	-	47	125	109	-	7	-	-	-	66	-	70	90	9.7	5.9	14.3
Berlin	15,121	-	-	47	104	137	2	6	-	1	-	133	-	90	102	9.1	8.8	12.7
Bloomfield	18,608	-	-	136	145	155	65	34	29	2	2	172	13	106	116	8.3	9.2	11.9
Bolton	3,951	-	-	3	28	48	2	1	-	-	-	22	-	34	30	12.1	5.6	16.2
Bristol	57,370	644	8	463	543	732	27	91	13	4	-	463	6	511	556	12.8	8.1	18.6
Burlington	5,660	-	-	11	41	79	1	1	-	-	-	30	-	27	25	14.0	5.3	9.2
Canton	7,635	-	-	11	53	94	2	6	-	1	-	55	1	66	79	12.3	7.2	19.0
East Granby	4,102	-	-	5	15	42	1	1	-	-	-	19	-	32	21	10.2	4.6	12.9
East Hartford	52,563	-	-	141	449	605	61	81	18	4	1	437	6	480	559	11.5	8.3	19.8
East Windsor	8,925	-	-	20	149	111	3	6	-	-	-	63	1	88	101	12.4	7.1	21.2
Ellington	9,711	-	-	10	68	133	3	9	1	2	-	43	-	96	90	13.7	4.4	19.2
Enfield	42,695	1	-	133	421	522	14	53	5	5	1	261	-	301	343	12.2	6.1	15.1
Farmington	16,407	589	2	271	155	173	3	10	1	2	-	121	1	121	145	10.5	7.4	16.2
Glastonbury	24,327	-	-	62	233	249	5	15	1	3	-	148	1	140	165	10.2	6.1	12.5
Granby	7,956	-	-	8	54	126	2	4	-	-	-	44	1	57	50	15.8	5.5	13.4
Hartford	136,392	6,731	45	3,228	1,329	2,445	1,033	1,366	705	17	6	1,474	325	1,199	1,157	17.9	10.8	17.3
Hartland	1,416	-	1	1	5	16	-	-	-	1	-	11	-	13	7	11.3	7.8	14.1
Hebron	5,453	-	-	6	29	92	1	3	-	1	-	28	-	38	38	16.9	5.1	13.9
Manchester	49,761	1,375	15	645	514	575	21	51	8	4	-	452	1	432	471	11.6	9.1	18.1

TABLE 2: CENSUS OF POPULATIONS AND VITAL STATISTICS OF CONNECTICUT, 1980

TOWN	Census of Connecticut Population, 1980	Place of Occurrence				Place of Residence												
						Live Births				Fetal Deaths		Total Deaths		Marriages		RESIDENT RATES PER 1,000 POPULATION		
						Total		Out of Wedlock										
		Live Births	Fetal Deaths	Deaths	Marriages	All Races	Nonwhite	All Races	Nonwhite	All Races	Nonwhite	All Races	Nonwhite	Groom	Bride	Live Births	Deaths	Persons Marrying
Column Number	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18
HSA IV,North Central Cont'd.																		
Marlborough	4,746	-	-	5	30	84	-	-	-	-	-	23	1	19	26	17.7	4.8	9.5
New Britain	73,840	1,831	9	944	693	979	114	211	57	7	3	746	23	706	691	13.3	10.1	18.9
Newington	28,841	-	-	237	234	266	12	9	2	-	-	220	2	207	243	9.2	7.6	15.6
Plainville	16,401	1	-	58	122	176	6	13	2	-	-	139	3	127	114	10.7	8.5	14.7
Plymouth	10,732	-	-	28	74	118	1	11	-	3	-	94	-	76	72	11.0	8.8	13.8
Rocky Hill	14,559	-	-	220	99	154	12	4	-	-	-	109	2	158	154	10.6	7.5	21.4
Simsbury	21,161	1	-	49	174	224	6	10	-	1	-	114	-	97	121	10.6	5.4	10.3
Somers	8,473	-	-	10	76	99	1	10	-	-	-	54	-	49	54	11.7	6.4	12.2
Southington	36,879	1	-	160	283	461	7	23	1	2	-	246	1	262	293	12.5	6.7	15.0
South Windsor	17,198	-	-	48	167	174	15	9	3	1	-	99	3	114	120	10.1	5.8	13.6
Stafford	9,268	-	-	98	77	155	1	7	-	-	-	80	-	73	73	16.7	8.6	15.8
Suffield	9,294	-	-	15	82	94	3	1	1	-	-	64	-	45	60	10.1	6.9	11.3
Tolland	9,694	-	-	3	73	128	4	9	-	2	-	25	-	39	64	13.2	2.6	10.6
Vernon	27,974	547	4	251	220	400	9	51	5	2	-	209	1	292	255	14.3	7.5	19.6
West Hartford	61,301	1	-	313	463	458	22	25	5	3	-	759	5	339	392	7.5	12.4	11.9
Wethersfield	26,013	-	-	74	183	159	5	14	3	-	-	288	-	118	169	6.1	11.1	11.0
Windsor	25,204	1	-	179	206	260	41	24	7	4	1	226	11	182	199	10.3	9.0	15.1
Windsor Locks	12,190	-	-	28	105	124	2	14	1	1	-	106	-	104	120	10.2	8.7	18.4
HSA V, Northwestern	490,894	5,373	53	4,273	3,803	5,917	419	772	233	62	5	4,251	116	3,272	3,461	12.1	8.7	13.7
Barkhamsted	2,935	-	-	-	12	34	-	2	-	-	-	14	-	20	17	11.6	4.8	12.6
Beacon Falls	3,995	-	-	8	27	43	-	3	-	-	-	27	-	22	29	10.8	6.8	12.8
Bethel	16,004	-	-	16	93	192	3	9	-	4	-	92	-	93	111	12.0	5.7	12.7
Bethlehem	2,573	-	-	2	23	26	-	2	-	1	-	14	1	21	15	10.1	5.4	14.0
Bridgewater	1,563	1	-	2	12	18	-	1	-	1	-	10	-	11	14	11.5	6.4	16.0
Brookfield	12,872	-	-	10	85	117	4	4	-	1	-	68	-	49	71	9.1	5.3	9.3
Canaan	1,002	-	-	5	6	40	-	1	-	1	-	21	-	13	15	39.9	21.0	27.9
Cheshire	21,788	1	-	105	149	227	3	5	-	1	-	149	2	113	150	10.4	6.8	12.1
Colebrook	1,221	-	-	4	14	7	-	-	-	-	-	9	-	3	5	5.7	7.4	6.6

TABLE 2: CENSUS OF POPULATIONS AND VITAL STATISTICS OF CONNECTICUT, 1980

TOWN	Census of Connecticut Population, 1980	Place of Occurrence				Place of Residence												
						Live Births				Fetal Deaths		Total Deaths		Marriages		RESIDENT RATES PER 1,000 POPULATION		
						Total		Out of Wedlock										
		Live Births	Fetal Deaths	Deaths	Marriages	All Races	Nonwhite	All Races	Nonwhite	All Races	Nonwhite	All Races	Nonwhite	Groom	Bride	Live Births	Deaths	Persons Marrying
Column Number	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18
HSA V, Northwestern Cont'd.																		
Cornwall	1,288	-	-	3	25	16	1	4	1	-	-	16	-	14	14	12.4	12.4	21.7
Danbury	60,470	1,648	23	756	492	869	94	124	45	11	3	434	16	448	439	14.4	7.2	14.7
Goshen	1,706	-	-	3	38	15	-	2	-	1	-	14	-	19	15	8.8	8.2	19.9
Harwinton	4,889	-	-	8	35	47	-	3	-	-	-	20	-	24	37	9.6	4.1	12.5
Kent	2,505	-	-	13	27	25	-	2	-	1	-	29	-	21	19	10.0	11.6	16.0
Litchfield	7,605	-	-	32	65	79	3	7	1	-	-	81	2	50	53	10.4	10.7	13.5
Middlebury	5,995	-	-	43	50	50	1	3	-	1	-	53	-	23	38	8.3	8.8	10.2
Morris	1,899	-	-	4	14	17	1	1	-	-	-	23	-	19	15	9.0	12.1	17.9
Naugatuck	26,456	1	-	61	187	355	10	36	4	2	-	231	1	216	229	13.4	8.7	16.8
New Fairfield	11,260	1	-	10	48	118	3	7	-	-	-	81	-	46	46	10.5	7.2	8.2
New Hartford	4,884	-	-	3	40	72	-	6	-	-	-	22	-	35	29	14.7	4.5	13.1
New Milford	19,420	297	7	214	144	309	5	21	1	5	-	115	1	133	132	15.9	5.9	13.6
Newtown	19,107	-	-	106	124	223	5	6	-	4	-	131	1	90	94	11.7	6.9	9.6
Norfolk	2,156	1	-	12	25	38	2	5	1	-	-	20	-	12	13	17.6	9.3	11.6
North Canaan	3,185	-	-	49	26	5	-	1	-	-	-	34	1	15	11	1.6	10.7	8.2
Prospect	6,807	-	-	24	48	57	1	4	1	-	-	62	-	45	43	8.4	9.1	12.9
Redding	7,272	-	-	12	63	75	1	3	-	-	-	46	-	32	53	10.3	6.3	11.7
Ridgefield	20,120	4	-	28	195	191	7	6	-	4	-	113	-	101	119	9.5	5.6	10.9
Roxbury	1,468	-	-	5	15	18	-	1	-	-	-	13	-	8	9	12.3	8.9	11.6
Salisbury	3,896	1	-	23	49	38	3	6	1	-	-	53	2	21	29	9.8	13.6	12.8
Sharon	2,623	355	3	158	41	26	-	5	-	-	-	32	-	15	13	9.9	12.2	10.7
Sherman	2,281	-	-	1	14	25	-	1	-	-	-	15	-	10	14	11.0	6.6	10.5
Southbury	14,156	-	-	83	76	106	1	5	-	-	-	177	1	66	62	7.5	12.5	9.0
Thomaston	6,276	-	-	20	73	76	-	10	-	2	-	64	-	57	53	12.1	10.2	17.5
Torrington	30,987	753	8	444	192	375	6	37	-	6	-	334	5	211	225	12.1	10.8	14.1
Warren	1,027	-	-	5	12	14	-	2	-	-	-	13	-	7	9	13.6	12.7	15.6
Washington	3,657	1	-	11	30	39	-	-	-	-	-	39	-	22	21	10.7	10.7	11.8
Waterbury	103,266	2,307	12	1,757	805	1,405	259	388	178	12	2	1,165	80	774	797	13.6	11.3	15.2
Watertown	19,489	-	-	81	165	193	2	15	-	-	-	154	1	141	145	9.9	7.9	14.7

TABLE 2: CENSUS OF POPULATIONS AND VITAL STATISTICS OF CONNECTICUT, 1980

TOWN	Census of Connecticut Population, 1980	Place of Occurrence				Place of Residence												
						Live Births				Fetal Deaths		Total Deaths		Marriages		RESIDENT RATES PER 1,000 POPULATION		
						Total		Out of Wedlock										
		Live Births	Fetal Deaths	Deaths	Marriages	All Races	Nonwhite	All Races	Nonwhite	All Races	Nonwhite	All Races	Nonwhite	Groom	Bride	Live Births	Deaths	Persons Marrying
Column Number	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18
HSA V, Northwestern Cont'd.																		
Winchester	10,841	1	-	114	110	149	1	21	-	1	-	114	2	105	96	13.7	10.5	18.5
Wolcott	13,008	-	-	25	89	112	1	6	-	1	-	89	-	89	104	8.6	6.8	14.8
Woodbury	6,942	1	-	13	65	76	2	7	-	2	-	60	-	58	58	10.9	8.6	16.7
OUT-OF-STATE		1,021		931		797				9	-	1,182		3,525	2,262			

*Includes 11,934 population of state and federal institutions.
-No events reported.

	ALL RACES											NONWHITE										
	Age of Mother											Age of Mother										
	Total	Under 15 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50 years and over	Not stated	Total	Under 15 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50 years and over	Not stated
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22
Total	38750	70	4334	11019	13433	7749	1872	238	18	1	16	5156	34	1223	1772	1226	647	209	40	4	1	-
Sex:																						
Male	19919	33	2209	5761	6820	4005	957	114	10	-	10	2667	16	614	938	635	334	111	18	1	-	-
Female	18831	37	2125	5258	6613	3744	915	124	8	1	6	2489	18	609	834	591	313	98	22	3	1	-
Place of delivery:																						
Hospitals	38660	70	4322	10997	13408	7726	1866	237	18	1	15	5142	34	1217	1769	1223	645	209	40	4	1	-
Other	84	-	12	22	23	21	5	1	-	-	-	13	-	6	3	3	1	-	-	-	-	-
Unknown	6	-	-	-	2	2	1	-	-	-	1	1	-	-	-	-	1	-	-	-	-	-
Legitimacy:																						
Legitimate	31786	3	1800	8420	12367	7256	1700	210	17	-	13	2205	-	131	649	791	448	149	34	3	-	-
Illegitimate	6948	67	2534	2599	1066	493	172	28	1	1	3	2951	34	1092	1122	435	199	60	6	1	1	-
Period of gestation:																						
Under 20 weeks	9	-	1	3	3	1	1	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
20-27 weeks	178	-	35	60	43	29	10	-	1	-	-	51	-	19	22	5	4	1	-	-	-	-
28-31 weeks	226	-	45	61	71	33	13	3	-	-	-	50	-	17	19	5	3	6	-	-	-	-
32-35 weeks	801	5	115	234	252	138	51	5	-	-	1	156	4	33	59	35	16	8	1	-	-	-
36 weeks	803	5	124	257	231	154	27	4	1	-	-	167	4	45	69	25	22	2	-	-	-	-
37-39 weeks	8735	14	843	2283	3099	1925	496	69	6	-	-	1202	7	248	387	311	187	47	14	1	-	-
40 weeks or over	22321	34	2492	6464	7809	4320	1005	120	7	-	10	2575	12	622	891	617	305	111	15	2	-	-
Unknown	5677	12	679	1657	1925	1089	269	37	3	1	5	954	7	238	325	228	110	34	10	1	1	-
Weight at birth:																						
1000 grams or less	235	-	51	72	66	32	11	1	1	-	1	72	-	27	28	11	4	2	-	-	-	-
1001-1500 grams	213	-	38	59	67	29	18	2	-	-	-	52	-	14	20	9	3	5	1	-	-	-
1501-2000 grams	507	1	83	170	131	90	27	4	-	-	1	112	-	25	42	19	16	9	1	-	-	-
2001-2500 grams	1645	9	269	520	493	267	72	15	-	-	-	330	8	86	127	62	35	8	3	-	-	-
2501-3000 grams	6200	19	939	1932	2016	1042	218	28	3	1	2	1228	10	333	437	275	138	29	4	1	1	-
3001-3500 grams	14488	29	1701	4252	5031	2715	659	90	6	-	5	2011	10	486	690	497	230	79	19	-	-	-
3501-4000 grams	11254	11	981	3037	4098	2475	579	62	7	-	4	1046	6	208	344	263	157	56	9	3	-	-
4001-4500 grams	3409	1	232	817	1257	860	215	25	-	-	2	247	-	36	70	73	50	17	1	-	-	-
Over 4500 grams	649	-	34	139	224	190	53	8	1	-	-	47	-	4	11	13	13	4	2	-	-	-
Unknown	150	-	6	21	50	49	20	3	-	-	1	11	-	4	3	4	-	-	-	-	-	-
Plural births:																						
Single	37952	70	4282	10786	13138	7581	1824	236	18	1	16	5043	34	1214	1720	1199	633	199	40	4	1	-
Twins	777	-	52	230	286	159	48	2	-	-	-	112	-	9	52	27	14	10	-	-	-	-
Triplets	13	-	-	3	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Quadruplets	8	-	-	-	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 4: LIVE BIRTHS TO RESIDENTS OF CONNECTICUT TOWNS BY RACE, LOW BIRTHWEIGHTS AND MATERNAL AGE, 1980

TOWN OF RESIDENCE	TOTAL	BIRTH WEIGHT		AGE OF MOTHER											
		5.5 LB OR LESS	UNKNOWN	UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UNKNOWN
CONNECTICUT																
ALL RACES	38,750	2,600	150	70	186	483	833	1,192	1,640	11,019	13,433	7,749	1,872	238	19	16
NONWHITE	5,156	566	11	34	89	184	253	331	366	1,772	1,226	647	209	40	5	-
HSA 1 SOUTHWESTERN																
ALL RACES	7,521	533	93	17	51	111	169	237	303	2,004	2,338	1,670	552	59	8	2
NONWHITE	1,548	157	3	9	31	57	68	103	107	533	356	197	74	12	1	-
BRIDGEPORT																
ALL RACES	2,646	235	3	11	35	65	106	136	194	984	692	310	95	18	-	-
NONWHITE	821	88	1	7	20	31	39	54	71	312	177	80	24	6	-	-
DARIEN																
ALL RACES	158	6	6	-	-	-	1	-	2	12	47	68	25	3	-	-
NONWHITE	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
EASTON																
ALL RACES	39	1	2	-	-	-	-	-	-	5	8	19	7	-	-	-
NONWHITE	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
FAIRFIELD																
ALL RACES	461	29	10	-	1	4	4	3	6	68	173	150	48	2	1	1
NONWHITE	11	-	-	-	-	-	-	-	-	4	1	3	2	-	1	-
GREENWICH																
ALL RACES	484	28	17	-	-	-	1	2	4	68	171	159	72	7	-	-
NONWHITE	16	1	-	-	-	-	1	-	-	2	6	6	1	-	-	-
MONROE																
ALL RACES	163	10	-	-	-	-	2	-	4	26	64	48	18	1	-	-
NONWHITE	2	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
NEW CANAAN																
ALL RACES	123	12	2	-	-	1	1	-	1	16	30	53	20	1	-	-
NONWHITE	3	1	-	-	-	-	-	-	-	2	-	1	-	-	-	-
NORWALK																
ALL RACES	1,077	72	13	2	5	13	19	37	30	304	364	221	73	7	2	-
NONWHITE	257	29	1	-	4	8	5	19	13	83	57	42	24	2	-	-
STAMFORD																
ALL RACES	1,313	78	19	3	8	22	30	35	46	330	413	318	93	13	1	1
NONWHITE	374	31	1	2	7	15	21	24	19	112	100	51	19	4	-	-
STRATFORD																
ALL RACES	516	36	-	-	2	5	5	20	11	126	209	107	27	2	2	-
NONWHITE	48	6	-	-	-	2	2	6	4	16	10	6	2	-	-	-
TRUMBULL																
ALL RACES	239	10	2	1	-	1	-	2	3	31	87	89	23	1	1	-
NONWHITE	11	-	-	-	-	1	-	-	-	2	2	6	-	-	-	-
WESTON																
ALL RACES	58	3	4	-	-	-	-	-	1	9	13	24	10	1	-	-
NONWHITE	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-

TABLE 4: LIVE BIRTHS TO RESIDENTS OF CONNECTICUT TOWNS BY RACE, LOW BIRTHWEIGHTS AND MATERNAL AGE, 1980-Continued

TOWN OF RESIDENCE	TOTAL	BIRTH WEIGHT		AGE OF MOTHER												
		5.5 LB OR LESS	UNKNOWN	UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UNKNOWN
WESTPORT																
ALL RACES	163	9	12	-	-	-	-	2	1	19	44	67	27	2	1	-
NONWHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WILTON																
ALL RACES	81	4	3	-	-	-	-	-	-	6	23	37	14	1	-	-
NONWHITE	2	1	-	-	-	-	-	-	-	-	-	1	1	-	-	-
HSA 2 SOUTH CENTRAL																
ALL RACES	7,569	523	10	15	35	102	171	216	322	2,078	2,762	1,487	336	40	1	4
NONWHITE	1,261	154	1	10	22	50	62	75	95	422	303	165	51	5	1	-
ANSONIA																
ALL RACES	250	14	-	-	1	2	11	8	14	80	96	28	9	1	-	-
NONWHITE	39	5	-	-	1	1	5	3	2	14	9	3	1	-	-	-
BETHANY																
ALL RACES	41	2	-	-	-	-	-	-	1	2	28	8	2	-	-	-
NONWHITE	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
BRANFORD																
ALL RACES	281	11	-	-	1	1	3	2	6	78	120	53	16	1	-	-
NONWHITE	5	-	-	-	-	-	-	-	1	-	2	2	-	-	-	-
DERBY																
ALL RACES	180	10	1	-	-	3	4	9	9	65	65	17	7	1	-	-
NONWHITE	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
EAST HAVEN																
ALL RACES	261	19	-	-	-	-	4	3	3	72	123	47	7	2	-	-
NONWHITE	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
GUILFORD																
ALL RACES	236	6	1	-	-	1	1	4	2	31	79	97	19	2	-	-
NONWHITE	2	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
HAMDEN																
ALL RACES	505	30	-	-	3	1	2	5	8	88	230	144	20	4	-	-
NONWHITE	58	10	-	-	1	-	-	1	4	10	23	13	4	2	-	-
MADISON																
ALL RACES	147	5	-	-	-	-	1	-	3	18	42	57	24	2	-	-
NONWHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MERIDEN																
ALL RACES	774	66	-	1	3	10	23	30	47	260	267	104	24	4	-	1
NONWHITE	46	4	-	1	-	4	5	2	2	9	15	4	4	-	-	-
MILFORD																
ALL RACES	597	29	1	-	1	6	11	10	21	147	257	122	19	2	-	1
NONWHITE	14	1	-	-	-	-	-	1	1	2	3	6	1	-	-	-
NEW HAVEN																
ALL RACES	2,018	194	4	13	21	68	86	114	139	666	547	290	66	6	1	1
NONWHITE	952	121	1	9	19	44	49	67	74	337	212	112	26	2	1	-

TABLE 4: LIVE BIRTHS TO RESIDENTS OF CONNECTICUT TOWNS BY RACE, LOW BIRTHWEIGHTS AND MATERNAL AGE, 1980-Continued

TOWN OF RESIDENCE	TOTAL	BIRTH WEIGHT		AGE OF MOTHER												
		5.5 LB OR LESS	UNKNOWN	UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UNKNOWN
NORTH BRANFORD																
ALL RACES	132	7	1	-	-	-	-	2	2	21	57	37	13	-	-	-
NONWHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NORTH HAVEN																
ALL RACES	173	12	-	-	-	1	2	2	3	31	76	47	7	4	-	-
NONWHITE	8	-	-	-	-	-	-	-	1	1	2	2	2	-	-	-
ORANGE																
ALL RACES	85	3	-	-	-	-	-	-	1	9	35	31	9	-	-	-
NONWHITE	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
OXFORD																
ALL RACES	112	5	1	-	1	-	1	-	2	18	52	35	3	-	-	-
NONWHITE	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
SEYMOUR																
ALL RACES	164	10	-	-	1	3	-	4	5	53	60	31	7	-	-	-
NONWHITE	2	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
SHELTON																
ALL RACES	419	20	1	-	-	1	4	4	13	95	162	105	34	1	-	-
NONWHITE	15	4	-	-	-	-	-	-	1	5	5	1	3	-	-	-
WALLINGFORD																
ALL RACES	422	27	-	-	1	1	7	9	12	110	172	90	15	4	-	1
NONWHITE	8	-	-	-	-	-	-	-	-	2	1	2	3	-	-	-
WEST HAVEN																
ALL RACES	701	52	-	1	2	3	10	10	30	222	271	118	28	6	-	-
NONWHITE	101	9	-	-	1	-	3	1	8	38	28	16	5	1	-	-
WOODBRIDGE																
ALL RACES	71	1	-	-	-	1	1	-	1	12	23	26	7	-	-	-
NONWHITE	5	-	-	-	-	1	-	-	-	1	-	1	2	-	-	-
HSA 3 EASTERN																
ALL RACES	6,756	410	9	8	19	64	122	222	282	2,280	2,394	1,090	241	32	2	-
NONWHITE	420	41	2	-	3	7	15	23	29	155	113	63	10	1	1	-
ASHFORD																
ALL RACES	43	4	-	1	-	-	-	1	-	14	19	7	1	-	-	-
NONWHITE	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
BOZRAH																
ALL RACES	23	2	-	-	-	-	1	-	-	7	9	3	3	-	-	-
NONWHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BROOKLYN																
ALL RACES	75	3	-	-	1	1	-	2	2	22	28	14	5	-	-	-
NONWHITE	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
CANTERBURY																
ALL RACES	55	2	-	-	-	1	1	1	-	25	19	8	-	-	-	-
NONWHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 4: LIVE BIRTHS TO RESIDENTS OF CONNECTICUT TOWNS BY RACE, LOW BIRTHWEIGHTS AND MATERNAL AGE, 1980-Continued

TOWN OF RESIDENCE	TOTAL	BIRTH WEIGHT		AGE OF MOTHER											
		5.5 LB OR LESS	UNKNOWN	UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UNKNOWN
CHAPLIN																
ALL RACES	26	2	-	-	-	-	-	-	1	7	10	7	1	-	-	-
NONWHITE	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
CHESTER																
ALL RACES	46	8	-	-	-	2	1	1	-	9	15	13	4	1	-	-
NONWHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CLINTON																
ALL RACES	175	7	-	-	1	2	3	3	3	39	70	46	8	-	-	-
NONWHITE	4	-	-	-	-	-	-	-	-	1	1	2	-	-	-	-
COLCHESTER																
ALL RACES	129	4	-	-	-	-	3	5	4	36	50	29	2	-	-	-
NONWHITE	3	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-
COLUMBIA																
ALL RACES	22	-	-	-	-	-	-	-	-	6	5	10	1	-	-	-
NONWHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
COVENTRY																
ALL RACES	146	4	-	-	-	-	-	3	2	36	68	34	3	-	-	-
NONWHITE	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
CROMWELL																
ALL RACES	129	5	-	-	-	-	-	-	5	18	67	34	2	3	-	-
NONWHITE	8	-	-	-	-	-	-	-	1	-	3	4	-	-	-	-
DEEP RIVER																
ALL RACES	51	7	-	-	-	1	1	-	2	13	24	8	2	-	-	-
NONWHITE	2	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-
DURHAM																
ALL RACES	50	5	-	-	-	-	-	-	1	9	24	11	4	1	-	-
NONWHITE	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
EASTFORD																
ALL RACES	12	1	-	-	-	-	-	1	1	2	3	4	1	-	-	-
NONWHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EAST HADDAM																
ALL RACES	86	10	-	-	-	1	-	1	1	25	25	28	5	-	-	-
NONWHITE	3	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-
EAST HAMPTON																
ALL RACES	131	7	1	-	-	-	-	2	2	38	55	28	6	-	-	-
NONWHITE	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
EAST LYME																
ALL RACES	161	6	1	-	-	-	2	4	11	39	63	30	11	1	-	-
NONWHITE	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
ESSEX																
ALL RACES	37	2	-	-	-	-	-	2	1	7	17	8	2	-	-	-
NONWHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 4: LIVE BIRTHS TO RESIDENTS OF CONNECTICUT TOWNS BY RACE, LOW BIRTHWEIGHTS AND MATERNAL AGE, 1980-Continued

TOWN OF RESIDENCE	TOTAL	BIRTH WEIGHT		AGE OF MOTHER												
		5.5 LB OR LESS	UNKNOWN	UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UNKNOWN
FRANKLIN																
ALL RACES	13	2	-	-	-	-	-	-	-	5	2	4	2	-	-	-
NONWHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
GRISWOLD																
ALL RACES	131	8	-	-	1	2	1	4	5	54	47	11	5	1	-	-
NONWHITE	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
GROTON																
ALL RACES	759	45	1	1	2	1	12	32	30	313	264	76	22	6	-	-
NONWHITE	64	6	-	-	-	-	2	5	-	22	23	11	1	-	-	-
HADDAM																
ALL RACES	62	2	-	-	-	-	1	2	1	12	27	16	3	-	-	-
NONWHITE	2	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
HAMPTON																
ALL RACES	25	1	-	-	-	-	-	-	1	7	8	8	-	1	-	-
NONWHITE	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
KILLINGLY																
ALL RACES	259	19	-	1	-	3	3	17	20	94	83	36	2	-	-	-
NONWHITE	4	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-
KILLINGWORTH																
ALL RACES	46	2	-	-	-	-	-	-	-	4	18	20	4	-	-	-
NONWHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
LEBANON																
ALL RACES	59	2	-	-	-	1	1	1	-	17	15	15	9	-	-	-
NONWHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
LEDYARD																
ALL RACES	211	9	-	-	-	-	1	1	6	74	73	49	6	1	-	-
NONWHITE	14	1	-	-	-	-	-	1	1	4	2	5	-	1	-	-
LISBON																
ALL RACES	54	6	-	-	-	1	-	3	2	18	25	4	1	-	-	-
NONWHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
LYME																
ALL RACES	18	-	-	-	-	1	-	-	1	-	11	5	-	-	-	-
NONWHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MANSFIELD																
ALL RACES	100	4	1	-	-	-	-	2	2	21	47	24	4	-	-	-
NONWHITE	8	-	-	-	-	-	-	-	1	1	3	3	-	-	-	-
MIDDLEFIELD																
ALL RACES	38	1	-	-	-	-	-	-	2	13	14	6	3	-	-	-
NONWHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MIDDLETOWN																
ALL RACES	462	38	-	1	1	8	11	8	23	156	170	68	16	-	-	-
NONWHITE	83	11	-	-	1	2	5	1	10	32	17	11	4	-	-	-

TABLE 4: LIVE BIRTHS TO RESIDENTS OF CONNECTICUT TOWNS BY RACE, LOW BIRTHWEIGHTS AND MATERNAL AGE, 1980-Continued

TOWN OF RESIDENCE	TOTAL	BIRTH WEIGHT		AGE OF MOTHER												
		5.5 LB OR LESS	UNKNOWN	UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UNKNOWN
MONTVILLE																
ALL RACES	253	18	-	-	1	4	6	16	9	89	86	28	13	1	-	-
NONWHITE	9	1	-	-	-	-	-	2	1	1	2	1	2	-	-	-
NEW LONDON																
ALL RACES	502	31	3	2	6	8	17	34	35	211	128	47	10	4	-	-
NONWHITE	132	13	2	-	2	5	6	9	9	56	31	13	1	-	-	-
N STONINGTON																
ALL RACES	55	1	-	-	-	-	-	1	1	17	26	7	3	-	-	-
NONWHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NORWICH																
ALL RACES	631	39	-	2	-	5	29	26	41	248	194	68	12	5	1	-
NONWHITE	43	4	-	-	-	-	2	3	5	16	13	3	-	-	1	-
OLD LYME																
ALL RACES	69	6	-	-	-	-	1	1	3	19	27	15	3	-	-	-
NONWHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OLD SAYBROOK																
ALL RACES	93	3	-	-	-	-	2	3	2	23	26	27	9	1	-	-
NONWHITE	3	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-
PLAINFIELD																
ALL RACES	172	6	1	-	-	5	4	6	3	78	56	16	4	-	-	-
NONWHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
POMFRET																
ALL RACES	41	3	-	-	1	-	-	1	1	12	14	10	1	1	-	-
NONWHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PORTLAND																
ALL RACES	80	3	-	-	-	-	1	-	-	20	40	16	3	-	-	-
NONWHITE	4	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-
PRESTON																
ALL RACES	33	4	-	-	-	-	-	-	2	8	13	9	1	-	-	-
NONWHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PUTNAM																
ALL RACES	111	8	1	-	-	1	3	4	8	47	31	14	3	-	-	-
NONWHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SALEM																
ALL RACES	33	2	-	-	-	-	-	-	1	10	10	8	1	3	-	-
NONWHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SCOTLAND																
ALL RACES	8	-	-	-	-	-	-	-	-	4	4	-	-	-	-	-
NONWHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SPRAGUE																
ALL RACES	55	5	-	-	-	-	-	3	2	25	19	3	2	-	1	-
NONWHITE	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-

TABLE 4: LIVE BIRTHS TO RESIDENTS OF CONNECTICUT TOWNS BY RACE, LOW BIRTHWEIGHTS AND MATERNAL AGE, 1980-Continued

TOWN OF RESIDENCE	TOTAL	BIRTH WEIGHT		AGE OF MOTHER												
		5.5 LB OR LESS	UNKNOWN	UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UNKNOWN
STERLING																
ALL RACES	27	-	-	-	-	1	-	1	1	9	11	1	3	-	-	-
NONWHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
STONINGTON																
ALL RACES	186	13	-	-	-	3	-	4	5	62	72	32	8	-	-	-
NONWHITE	6	-	-	-	-	-	-	-	1	3	2	-	-	-	-	-
THOMPSON																
ALL RACES	97	13	-	-	-	1	5	5	9	32	28	12	5	-	-	-
NONWHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
UNION																
ALL RACES	7	-	-	-	-	-	-	-	1	1	4	1	-	-	-	-
NONWHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VOLUNTOWN																
ALL RACES	23	1	-	-	-	1	-	2	2	10	6	6	1	-	-	-
NONWHITE	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
WATERFORD																
ALL RACES	151	6	-	-	1	-	2	2	5	47	56	33	5	-	-	-
NONWHITE	4	1	-	-	-	-	-	-	-	2	2	-	-	-	-	-
WESTBROOK																
ALL RACES	44	2	-	-	1	2	-	1	3	10	14	9	4	-	-	-
NONWHITE	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
WILLINGTON																
ALL RACES	54	2	-	-	-	2	-	1	2	11	21	14	3	-	-	-
NONWHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WINDHAM																
ALL RACES	338	25	-	-	3	5	9	14	15	135	114	35	6	2	-	-
NONWHITE	9	2	-	-	-	-	-	-	-	6	2	1	-	-	-	-
WOODSTOCK																
ALL RACES	54	1	-	-	-	1	1	1	2	12	19	15	3	-	-	-
NONWHITE	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
HSA 4 NORTH CENTRAL																
ALL RACES	10,987	759	21	22	61	151	258	348	501	3,044	3,863	2,222	446	58	6	7
NONWHITE	1,508	174	5	12	26	59	84	101	105	509	376	173	48	13	2	-
ANDOVER																
ALL RACES	31	2	-	-	-	-	-	1	3	3	15	9	-	-	-	-
NONWHITE	1	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
AVON																
ALL RACES	109	12	-	-	-	-	-	2	2	7	41	51	6	-	-	-
NONWHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BERLIN																
ALL RACES	137	6	-	-	-	-	-	-	5	24	62	37	9	-	-	-
NONWHITE	2	1	-	-	-	-	-	-	-	-	1	1	-	-	-	-

TABLE 4: LIVE BIRTHS TO RESIDENTS OF CONNECTICUT TOWNS BY RACE, LOW BIRTHWEIGHTS AND MATERNAL AGE, 1980-Continued

TOWN OF RESIDENCE	TOTAL	BIRTH WEIGHT		AGE OF MOTHER												
		5.5 LB OR LESS	UNKNOWN	UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UNKNOWN
BLOOMFIELD																
ALL RACES	155	13	2	-	1	1	4	13	7	25	55	40	9	-	-	-
NONWHITE	65	10	1	-	1	1	4	10	4	9	19	13	4	-	-	-
BOLTON																
ALL RACES	48	5	-	-	-	-	-	-	1	10	19	14	2	1	-	1
NONWHITE	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
BRISTOL																
ALL RACES	732	43	1	-	1	11	13	23	35	250	272	111	15	1	-	-
NONWHITE	27	4	-	-	-	1	1	1	2	11	8	1	2	-	-	-
BURLINGTON																
ALL RACES	79	3	-	-	-	-	-	-	2	9	41	24	2	1	-	-
NONWHITE	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
CANTON																
ALL RACES	94	7	-	-	1	1	-	1	3	16	42	28	1	1	-	-
NONWHITE	2	1	-	-	-	-	-	-	-	1	1	-	-	-	-	-
EAST GRANBY																
ALL RACES	42	4	-	-	-	-	-	-	2	6	19	14	-	1	-	-
NONWHITE	1	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
EAST HARTFORD																
ALL RACES	605	38	2	1	5	2	12	18	27	201	206	109	22	-	1	1
NONWHITE	61	4	1	-	1	-	-	5	4	20	21	8	2	-	-	-
EAST WINDSOR																
ALL RACES	111	12	1	-	-	-	1	2	5	39	44	17	3	-	-	-
NONWHITE	3	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-
ELLINGTON																
ALL RACES	133	4	-	-	-	1	2	3	2	29	59	29	8	-	-	-
NONWHITE	3	1	-	-	-	-	1	-	-	-	1	-	1	-	-	-
ENFIELD																
ALL RACES	522	20	1	-	1	3	12	15	21	135	210	100	23	1	1	-
NONWHITE	14	1	-	-	-	-	-	1	-	5	4	3	1	-	-	-
FARMINGTON																
ALL RACES	173	2	1	-	-	-	-	4	2	28	79	46	13	1	-	-
NONWHITE	3	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-
GLASTONBURY																
ALL RACES	249	12	-	-	-	-	1	3	4	37	94	91	17	2	-	-
NONWHITE	5	-	-	-	-	-	-	-	-	1	1	2	1	-	-	-
GRANBY																
ALL RACES	126	8	-	-	-	-	-	1	3	18	55	39	8	2	-	-
NONWHITE	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
HARTFORD																
ALL RACES	2,445	251	6	15	42	96	139	153	190	897	570	256	69	15	2	1
NONWHITE	1,033	122	2	11	23	48	68	73	80	382	224	87	27	8	2	-

TABLE 4: LIVE BIRTHS TO RESIDENTS OF CONNECTICUT TOWNS BY RACE, LOW BIRTHWEIGHTS AND MATERNAL AGE, 1980-Continued

TOWN OF RESIDENCE	TOTAL	BIRTH WEIGHT		AGE OF MOTHER												
		5.5 LB OR LESS	UNKNOWN	UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UNKNOWN
HARTLAND																
ALL RACES	16	1	-	-	-	-	-	-	2	4	4	5	1	-	-	-
NONWHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
HEBRON																
ALL RACES	92	6	-	-	-	1	2	1	3	21	32	28	4	-	-	-
NONWHITE	1	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
MANCHESTER																
ALL RACES	575	19	-	1	1	4	7	14	12	177	224	111	21	3	-	-
NONWHITE	21	-	-	-	-	1	2	1	-	9	4	3	-	1	-	-
MARLBOROUGH																
ALL RACES	84	4	-	-	-	-	-	1	3	13	29	31	7	-	-	-
NONWHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NEW BRITAIN																
ALL RACES	979	70	1	3	2	12	26	30	63	337	334	127	34	8	-	3
NONWHITE	114	17	-	1	-	5	4	4	10	41	31	14	3	1	-	-
NEWINGTON																
ALL RACES	266	13	-	1	-	-	-	3	6	46	115	76	18	1	-	-
NONWHITE	12	1	-	-	-	-	-	1	-	4	5	2	-	-	-	-
PLAINVILLE																
ALL RACES	176	15	-	-	1	2	1	2	8	60	67	29	4	1	-	1
NONWHITE	6	-	-	-	-	-	-	1	1	1	3	-	-	-	-	-
PLYMOUTH																
ALL RACES	118	9	-	-	2	4	1	5	4	39	46	14	3	-	-	-
NONWHITE	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
ROCKY HILL																
ALL RACES	154	12	-	-	-	-	-	-	-	33	77	40	3	1	-	-
NONWHITE	12	2	-	-	-	-	-	-	-	2	5	4	-	1	-	-
SIMSBURY																
ALL RACES	224	16	-	1	-	-	-	1	3	19	79	99	20	2	-	-
NONWHITE	6	1	-	-	-	-	-	-	1	-	3	1	1	-	-	-
SOMERS																
ALL RACES	99	2	-	-	1	-	1	4	3	24	31	28	6	1	-	-
NONWHITE	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
SOUTHINGTON																
ALL RACES	461	31	1	-	1	2	10	8	12	113	187	116	11	1	-	-
NONWHITE	7	1	-	-	-	-	1	-	-	-	4	2	-	-	-	-
SOUTH WINDSOR																
ALL RACES	174	13	-	-	-	1	1	3	4	20	88	43	12	2	-	-
NONWHITE	15	1	-	-	-	1	-	2	-	1	4	5	2	-	-	-
STAFFORD																
ALL RACES	155	7	2	-	-	1	2	-	11	51	54	27	8	1	-	-
NONWHITE	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-

TABLE 4: LIVE BIRTHS TO RESIDENTS OF CONNECTICUT TOWNS BY RACE, LOW BIRTHWEIGHTS AND MATERNAL AGE, 1980-Continued

TOWN OF RESIDENCE	TOTAL	BIRTH WEIGHT		AGE OF MOTHER												
		5.5 LB OR LESS	UNKNOWN	UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UNKNOWN
SUFFIELD																
ALL RACES	94	4	-	-	-	1	1	1	4	21	31	26	8	-	1	-
NONWHITE	3	-	-	-	-	-	1	-	-	1	-	1	-	-	-	-
TOLLAND																
ALL RACES	128	6	-	-	-	-	-	1	1	23	56	41	6	-	-	-
NONWHITE	4	-	-	-	-	-	-	-	-	1	1	2	-	-	-	-
VERNON																
ALL RACES	400	33	-	-	1	5	7	22	30	119	137	63	14	1	1	-
NONWHITE	9	2	-	-	1	1	-	-	1	4	-	2	-	-	-	-
WEST HARTFORD																
ALL RACES	458	26	1	-	1	1	5	2	6	61	185	158	35	4	-	-
NONWHITE	22	-	-	-	-	-	2	-	-	4	11	3	1	1	-	-
WETHERSFIELD																
ALL RACES	159	11	-	-	-	1	1	2	2	32	58	52	8	3	-	-
NONWHITE	5	1	-	-	-	1	-	1	-	-	1	1	-	1	-	-
WINDSOR																
ALL RACES	260	12	2	-	-	-	4	4	4	53	102	78	14	1	-	-
NONWHITE	41	1	1	-	-	-	-	1	1	6	17	13	3	-	-	-
WINDSOR LOCKS																
ALL RACES	124	7	-	-	-	1	5	5	6	44	44	15	2	2	-	-
NONWHITE	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
HSA 5 NORTHWESTERN																
ALL RACES	5,917	375	17	8	20	55	113	169	232	1,613	2,076	1,280	297	49	2	3
NONWHITE	419	40	-	3	7	11	24	29	30	153	78	49	26	9	-	-
BARKHAMSTED																
ALL RACES	34	2	-	-	-	-	-	1	1	5	18	9	-	-	-	-
NONWHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BEACON FALLS																
ALL RACES	43	1	-	-	-	-	-	1	4	12	19	7	-	-	-	-
NONWHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BETHEL																
ALL RACES	192	13	1	-	-	1	2	3	9	33	79	50	13	2	-	-
NONWHITE	3	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-
BETHLEHEM																
ALL RACES	26	2	-	-	-	-	-	1	1	7	10	5	2	-	-	-
NONWHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BRIDGEWATER																
ALL RACES	18	-	-	-	1	-	-	-	-	4	4	6	3	-	-	-
NONWHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BROOKFIELD																
ALL RACES	117	9	-	-	1	-	3	-	4	11	46	38	13	1	-	-
NONWHITE	4	-	-	-	-	-	1	-	-	-	2	1	-	-	-	-

TABLE 4: LIVE BIRTHS TO RESIDENTS OF CONNECTICUT TOWNS BY RACE, LOW BIRTHWEIGHTS AND MATERNAL AGE, 1980-Continued

TOWN OF RESIDENCE	TOTAL	BIRTH WEIGHT		AGE OF MOTHER												
		5.5 LB OR LESS	UN-KNOWN	UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UN-KNOWN
CANAAN																
ALL RACES	40	4	-	-	-	-	1	2	1	17	9	5	4	1	-	-
NONWHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CHESHIRE																
ALL RACES	227	11	-	-	-	-	1	2	-	26	104	81	11	2	-	-
NONWHITE	3	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-
COLEBROOK																
ALL RACES	7	-	-	-	-	-	-	-	-	2	1	4	-	-	-	-
NONWHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CORNWALL																
ALL RACES	16	-	-	-	-	-	1	-	1	5	6	3	-	-	-	-
NONWHITE	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
DANBURY																
ALL RACES	869	60	2	3	7	12	14	26	39	257	287	179	35	9	-	1
NONWHITE	94	6	-	1	4	3	1	5	7	37	18	9	5	4	-	-
GOSHEN																
ALL RACES	15	-	-	-	-	-	1	-	1	4	8	1	-	-	-	-
NONWHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
HARWINTON																
ALL RACES	47	3	-	-	-	-	-	-	1	4	23	15	4	-	-	-
NONWHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
KENT																
ALL RACES	25	2	1	-	-	2	-	-	-	4	9	7	2	1	-	-
NONWHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
LITCHFIELD																
ALL RACES	79	5	1	-	-	1	-	-	2	13	37	22	3	1	-	-
NONWHITE	3	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-
MIDDLEBURY																
ALL RACES	50	4	-	-	-	-	-	1	-	12	17	15	4	1	-	-
NONWHITE	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
MORRIS																
ALL RACES	17	3	-	-	-	-	1	-	-	5	8	3	-	-	-	-
NONWHITE	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
NAUGATUCK																
ALL RACES	355	20	-	-	-	3	2	9	13	123	126	61	17	-	-	1
NONWHITE	10	2	-	-	-	-	-	-	1	3	2	2	2	-	-	-
NEW FAIRFIELD																
ALL RACES	118	7	1	-	1	1	1	1	3	19	46	38	8	-	-	-
NONWHITE	3	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-
NEW HARTFORD																
ALL RACES	72	2	-	-	-	2	1	2	2	13	27	22	2	1	-	-
NONWHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 4: LIVE BIRTHS TO RESIDENTS OF CONNECTICUT TOWNS BY RACE, LOW BIRTHWEIGHTS AND MATERNAL AGE, 1980-Continued

TOWN OF RESIDENCE	TOTAL	BIRTH WEIGHT		AGE OF MOTHER												
		5.5 LB OR LESS	UNKNOWN	UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UNKNOWN
NEW MILFORD																
ALL RACES	309	15	-	2	1	3	4	9	11	82	120	63	12	1	1	-
NONWHITE	5	1	-	-	-	-	-	-	1	1	-	1	1	1	-	-
NEWTOWN																
ALL RACES	223	11	-	-	-	1	1	2	6	35	83	71	22	1	-	1
NONWHITE	5	2	-	-	-	-	-	-	-	-	3	2	-	-	-	-
NORFOLK																
ALL RACES	38	-	-	-	-	-	-	2	-	11	11	8	5	1	-	-
NONWHITE	2	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-
NORTH CANAAN																
ALL RACES	5	-	-	-	-	-	-	-	-	1	2	2	-	-	-	-
NONWHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PROSPECT																
ALL RACES	57	1	-	-	-	1	-	1	1	9	25	17	3	-	-	-
NONWHITE	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
REDDING																
ALL RACES	75	4	3	-	-	-	-	1	1	7	29	30	7	-	-	-
NONWHITE	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
RIDGEFIELD																
ALL RACES	191	15	3	-	-	-	-	3	2	22	62	81	18	3	-	-
NONWHITE	7	-	-	-	-	-	-	-	-	1	3	2	1	-	-	-
ROXBURY																
ALL RACES	18	-	1	-	-	-	1	-	1	4	6	5	1	-	-	-
NONWHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SALISBURY																
ALL RACES	38	1	-	-	1	1	-	1	2	9	13	8	2	1	-	-
NONWHITE	3	1	-	-	-	-	-	-	1	1	1	-	-	-	-	-
SHARON																
ALL RACES	26	1	-	-	-	-	-	-	2	7	8	8	1	-	-	-
NONWHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SHERMAN																
ALL RACES	25	1	-	-	-	-	-	-	-	4	10	10	1	-	-	-
NONWHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SOUTHBURY																
ALL RACES	106	8	-	-	-	-	-	3	1	19	42	30	11	-	-	-
NONWHITE	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
THOMASTON																
ALL RACES	76	7	-	-	-	-	1	5	3	19	29	17	2	-	-	-
NONWHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TORRINGTON																
ALL RACES	375	13	-	-	-	1	7	11	16	130	142	53	11	4	-	-
NONWHITE	6	-	-	-	-	-	-	-	-	2	1	3	-	-	-	-

TABLE 4: LIVE BIRTHS TO RESIDENTS OF CONNECTICUT TOWNS BY RACE, LOW BIRTHWEIGHTS AND MATERNAL AGE, 1980-Continued

TOWN OF RESIDENCE	TOTAL	BIRTH WEIGHT		AGE OF MOTHER												
		5.5 LB OR LESS	UNKNOWN	UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UNKNOWN
WARREN																
ALL RACES	14	2	-	-	-	-	1	-	1	2	5	4	1	-	-	-
NONWHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WASHINGTON																
ALL RACES	39	1	2	-	-	-	-	2	-	6	15	11	4	1	-	-
NONWHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WATERBURY																
ALL RACES	1,405	113	2	3	7	24	60	71	83	527	385	182	48	14	1	-
NONWHITE	259	27	-	2	3	8	21	24	20	103	41	21	12	4	-	-
WATERTOWN																
ALL RACES	193	10	-	-	-	1	3	3	4	53	80	36	12	1	-	-
NONWHITE	2	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-
WINCHESTER																
ALL RACES	149	9	-	-	-	1	3	4	8	48	58	25	2	-	-	-
NONWHITE	1	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
WOLCOTT																
ALL RACES	112	9	-	-	-	-	3	2	4	25	46	25	4	3	-	-
NONWHITE	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
WOODBURY																
ALL RACES	76	6	-	-	1	-	1	-	4	17	21	23	9	-	-	-
NONWHITE	2	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-

- NO BIRTHS REPORTED

TABLE 5: FETAL DEATHS OCCURRING IN CONNECTICUT, 1980

	ALL RACES											NONWHITE										
	Age of Mother											Age of Mother										
	Total	Under 15 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50 years and over	Unknown	Total	Under 15 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50 years and over	Unknown
Column Number	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22
Total	301	7	47	71	90	55	28	3	-	-	-	54	3	10	21	10	6	4	-	-	-	-
Sex:																						
Male	177	3	31	40	52	32	17	2	-	-	-	35	2	5	14	8	3	3	-	-	-	-
Female	121	4	16	30	38	21	11	1	-	-	-	19	1	5	7	2	3	1	-	-	-	-
Unknown	3	-	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Place of delivery:																						
Hospitals	292	6	44	70	90	52	27	3	-	-	-	54	3	10	21	10	6	4	-	-	-	-
Other	5	-	1	-	-	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Unknown	4	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Period of gestation:																						
Under 20 weeks	2	-	-	1	-	-	1	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-
20-27 weeks	93	2	21	22	28	12	6	2	-	-	-	13	1	2	7	2	-	1	-	-	-	-
28-31 weeks	22	1	4	3	7	5	2	-	-	-	-	5	-	2	1	-	2	-	-	-	-	-
32-35 weeks	25	-	6	6	6	7	-	-	-	-	-	6	-	2	2	-	2	-	-	-	-	-
36 weeks	17	1	1	8	4	3	-	-	-	-	-	5	1	1	2	1	-	-	-	-	-	-
37-39 weeks	39	1	2	6	11	10	9	-	-	-	-	5	-	2	2	-	-	1	-	-	-	-
40 weeks or over	22	-	1	5	11	3	2	-	-	-	-	3	-	-	-	2	-	1	-	-	-	-
Unknown	81	2	12	20	23	15	8	1	-	-	-	16	1	1	6	5	2	1	-	-	-	-
Weight at birth:																						
1000 grams or less	124	4	23	34	32	21	8	2	-	-	-	22	2	1	10	6	2	1	-	-	-	-
1001-1500 grams	32	-	8	5	11	4	4	-	-	-	-	7	-	3	1	-	1	2	-	-	-	-
1501-2000 grams	26	1	4	7	7	5	2	-	-	-	-	8	1	2	2	1	2	-	-	-	-	-
2001-2500 grams	29	-	5	6	9	6	3	-	-	-	-	4	-	3	1	-	-	-	-	-	-	-
2501-3000 grams	26	-	2	5	6	10	3	-	-	-	-	3	-	-	2	1	-	-	-	-	-	-
3001-3500 grams	18	1	2	5	8	1	1	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-
3501-4000 grams	14	-	-	1	6	1	5	1	-	-	-	2	-	-	1	-	-	1	-	-	-	-
4001-4500 grams	5	-	1	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Over 4500 grams	7	-	1	3	2	1	-	-	-	-	-	5	-	1	2	1	1	-	-	-	-	-
Unknown	20	1	1	3	9	5	1	-	-	-	-	2	-	-	1	1	-	-	-	-	-	-
Plural births:																						
Single	276	5	44	64	83	49	28	3	-	-	-	47	2	10	17	8	6	4	-	-	-	-
Twins	23	1	3	7	6	6	-	-	-	-	-	6	1	-	4	1	-	-	-	-	-	-
Unknown	2	1	-	-	1	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-

-No fetal deaths reported

TABLE 6: CAUSES OF FETAL DEATHS OCCURRING IN CONNECTICUT, 1980

ICD No.	Causes of Fetal Deaths (ICD Ninth Revision)	TOTAL
Total		301
740	Anencephalus and similar anomalies	3
742	Other congenital anomalies of nervous system	3
752	Congenital anomalies of genital organs	1
759	Other and unspecified congenital anomalies	12
760	Fetus affected by maternal conditions which may be unrelated to present pregnancy	9
761	Fetus affected by maternal complications of pregnancy	24
762	Fetus affected by other complications of placenta, cord and membranes	122
763	Fetus affected by other complications of labor and delivery	1
764	Slow fetal growth and fetal malnutrition	2
765	Disorders relating to short gestation and unspecified low birthweight	24
766	Disorders relating to long gestation and high birthweight	1
768	Intrauterine hypoxia and birth asphyxia	20
770	Other respiratory conditions of fetus	1
771	Infections specific to the perinatal period	1
772	Fetal and neonatal hemorrhage	4
775	Endocrine and metabolic disturbances specific to the fetus	2
777	Perinatal disorders of digestive system	1
778	Conditions involving the integument and temperature regulation of fetus	1
779	Other and ill-defined conditions originating in the perinatal period	69

TABLE 7: CAUSES OF DEATH, CONNECTICUT RESIDENTS, 1980

ICD 9TH REVISION	TOTAL	AGE AT DEATH																						
		UNDER 1	1 YEAR	2 YEARS	3 YEARS	4 YEARS	TOTAL UNDER 5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 AND OVER	UNKNOWN
TOTAL, ALL CAUSES	27258	429	22	17	13	6	487	69	60	262	330	256	278	306	394	619	1,050	1,760	2,317	2,976	3,177	3,554	3,652	5,705	6
MALE	14216	251	11	12	7	5	286	43	38	205	257	192	190	218	242	384	663	1,066	1,412	1,806	1,832	1,831	1,603	1,946	2
FEMALE	13042	178	11	5	6	1	201	26	22	57	73	64	88	88	152	235	387	694	905	1,170	1,345	1,723	2,049	3,759	4
7-9 CERTAIN OTHER INTESTINAL INFECTIONS																									
MALE	3	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-
FEMALE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
10-18 TUBERCULOSIS																									
MALE	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	2	1	1	-
FEMALE	6	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	3	1	-	1	-
10-12 TUBERCULOSIS OF THE RESPIRATORY SYSTEM																									
MALE	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	2	1	1	-
FEMALE	5	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	3	1	-	-	-
36 MENINGOCOCCAL INFECTION																									
MALE	5	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	1	2	-	-	-	-	-
FEMALE	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-
38 SEPTICEMIA																									
MALE	89	-	-	-	-	-	-	1	-	1	1	-	1	1	2	1	1	7	8	7	18	13	11	16	-
FEMALE	79	-	-	1	-	-	1	-	-	1	-	1	-	-	1	2	2	3	2	5	9	5	24	23	-
90-97 SYPHILIS																									
MALE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER INFECTIOUS AND PARASITIC DISEASES																									
MALE	35	2	-	-	1	-	3	1	-	-	1	1	2	-	2	2	2	1	4	4	3	1	1	7	-
FEMALE	29	1	-	-	-	-	1	-	-	2	-	-	-	-	1	-	1	2	1	5	6	3	2	5	-
140-208 MALIGNANT NEOPLASMS																									
MALE	3,410	1	-	1	1	1	4	12	6	13	17	15	17	34	52	100	183	310	447	540	510	511	329	310	-
FEMALE	3,100	2	-	-	1	1	4	4	5	8	5	12	14	25	68	110	191	335	404	425	401	389	339	360	1
210-239 BENIGN AND UNSPECIFIED NEOPLASMS, CARCINOMA IN SITU																									
MALE	37	-	-	-	-	-	-	-	-	1	-	1	1	1	1	-	2	1	6	5	7	5	2	4	-
FEMALE	56	2	-	-	-	-	2	-	-	-	-	-	1	2	2	6	2	3	7	5	8	6	7	5	-
250 DIABETES MELLITIS																									
MALE	159	-	-	-	-	-	-	-	-	-	-	-	1	2	3	3	7	11	19	18	27	22	25	21	-
FEMALE	233	-	-	-	-	-	-	-	-	-	-	-	1	1	3	1	8	10	13	11	36	44	47	58	-
280-285 ANEMIAS																									
MALE	17	-	-	-	-	1	1	1	-	-	1	-	-	-	-	-	-	1	1	3	1	4	1	3	-
FEMALE	23	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	3	1	2	4	5	6	-
303 ALCOHOL DEPENDENCE SYNDROME																									
MALE	79	-	-	-	-	-	-	-	-	-	-	1	4	5	7	8	13	11	12	10	3	5	-	-	-
FEMALE	28	-	-	-	-	-	-	-	-	-	-	-	-	1	3	5	2	6	4	3	1	1	2	-	-

TABLE 7: CAUSES OF DEATH, CONNECTICUT RESIDENTS, 1950-Continued

ICD 9TH REVISION	TOTAL	AGE AT DEATH																							
		UNDER 1	1 YEAR	2 YEARS	3 YEARS	4 YEARS	TOTAL UNDER 5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 AND OVER	UNKNOWN
320-322 MENINGITIS																									
MALE	11	-	1	1	-	-	2	-	1	-	-	-	-	-	1	1	-	-	1	2	1	-	1	1	-
FEMALE	5	3	-	-	-	-	3	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
390-448 MAJOR CARDIOVASCULAR DISEASES																									
MALE	6,747	4	-	-	-	-	4	-	1	6	15	4	18	45	74	153	308	527	670	898	961	943	921	1,197	2
FEMALE	6,819	2	1	1	1	-	5	2	-	-	2	2	9	8	24	47	93	212	318	524	659	970	1,308	2,635	1
390-398,402,404-429 DISEASES OF THE HEART																									
MALE	5,376	3	-	-	-	-	3	-	1	4	13	3	13	41	60	131	265	447	583	748	766	713	692	891	2
FEMALE	4,962	1	1	1	1	-	4	1	-	-	1	2	5	3	20	31	72	161	241	401	503	728	932	1,856	1
390-398 RHEUMATIC FEVER AND RHEUMATIC HEART DISEASE																									
MALE	35	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	6	1	11	6	3	3	2	-
FEMALE	73	-	-	-	-	-	-	-	-	-	1	-	-	-	1	4	2	5	7	15	7	13	10	8	-
402 HYPERTENSIVE HEART DISEASE																									
MALE	109	-	-	-	-	-	-	-	-	-	-	-	-	3	-	5	8	15	19	15	15	9	9	11	-
FEMALE	155	-	-	-	-	-	-	-	-	-	-	-	-	1	2	3	5	7	7	20	15	23	29	43	-
404 HYPERTENSIVE HEART AND RENAL DISEASE																									
MALE	18	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	4	2	3	6	-
FEMALE	27	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	3	1	5	8	9	-
410-414 ISCHEMIC HEART DISEASE																									
MALE	4,238	-	-	-	-	-	-	-	-	-	-	1	6	25	47	102	212	338	474	603	613	573	545	698	1
FEMALE	3,679	-	-	-	-	-	-	-	-	-	-	1	2	-	11	19	48	107	171	275	381	564	675	1,424	1
415-429 OTHER HEART DISEASE																									
MALE	976	3	-	-	-	-	3	-	1	4	12	2	7	13	12	24	44	86	89	118	128	126	132	174	1
FEMALE	1,028	1	1	1	1	-	4	1	-	-	-	1	3	2	6	5	17	41	56	88	99	123	210	372	-
401,403 HYPERTENSION WITH OR WITHOUT MENTION OF RENAL DISEASE																									
MALE	56	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	2	4	7	4	4	9	8	16	-
FEMALE	71	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	4	6	2	4	11	11	30	-
430-438 CEREBROVASCULAR DISEASES																									
MALE	783	-	-	-	-	-	-	-	-	1	1	1	3	2	6	13	20	39	35	78	112	139	145	188	-
FEMALE	1,298	1	-	-	-	-	1	1	-	-	1	-	3	3	3	13	15	34	50	84	102	174	266	548	-
440 ATHEROSCLEROSIS																									
MALE	348	-	-	-	-	-	-	-	-	-	-	-	1	1	5	7	20	22	30	41	48	45	47	81	-
FEMALE	376	-	-	-	-	-	-	-	-	-	-	-	-	2	1	2	3	6	14	25	37	36	80	[illegible]	-
441-448 OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES																									
MALE	184	1	-	-	-	-	1	-	-	1	1	-	1	-	2	2	1	15	15	27	31	37	29	21	-
FEMALE	112	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	7	7	12	13	21	19	31	-

TABLE 7: CAUSES OF DEATH, CONNECTICUT RESIDENTS, 1980-Continued

ICD 9TH REVISION	TOTAL	AGE AT DEATH																						
		UNDER 1	1 YEAR	2 YEARS	3 YEARS	4 YEARS	TOTAL UNDER 5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 AND OVER	UNKNOWN
480-486 PNEUMONIA																								
MALE	400	7	-	-	-	-	7	-	-	2	-	3	4	4	3	7	7	7	18	34	36	49	81	138	-
FEMALE	425	2	3	-	-	-	5	1	-	1	1	1	3	1	2	2	5	5	7	20	28	46	72	224	1
487 INFLUENZA																								
MALE	23	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	2	2	-	2	5	5	6	-
FEMALE	55	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	4	3	7	11	28	-
490-496 CHRONIC OBSTRUCTIVE PULMONARY DISEASE AND ALLIED CONDITIONS																								
MALE	433	-	-	-	1	-	1	-	-	1	-	1	-	1	1	8	8	22	39	56	86	89	55	65	-
FEMALE	266	-	-	-	-	-	-	-	-	-	1	-	2	2	2	1	7	16	19	35	40	54	37	49	1
531-533 ULCER OF STOMACH AND DUODENUM																								
MALE	26	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	1	7	3	5	3	3	-
FEMALE	39	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	4	3	5	3	2	5	6	9	-
550-553, 560 HERNIA OF ABDOMINAL CAVITY AND INTESTINAL OBSTRUCTION																								
MALE	29	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	3	3	3	8	9	-
FEMALE	33	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	3	1	1	8	8	11	-
571 CHRONIC LIVER DISEASE AND CIRRHOSIS																								
MALE	236	-	-	-	1	-	1	-	-	-	-	1	3	10	12	21	24	37	34	44	28	12	7	2	-
FEMALE	138	-	-	-	-	-	-	-	-	-	-	1	2	2	6	12	15	14	28	17	16	10	8	7	-
580-589 NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS																								
MALE	106	-	-	-	-	-	-	-	-	1	-	1	1	1	2	2	1	11	8	14	13	14	19	18	-
FEMALE	101	-	-	-	-	-	-	-	-	-	1	-	1	2	-	3	6	3	9	7	14	16	15	24	-
590 INFECTIONS OF KIDNEY																								
MALE	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	1	-
FEMALE	12	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	2	-	3	3	3	-
600 HYPERPLASIA OF PROSTATE																								
MALE	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	4	2	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
740-759 CONGENITAL ANOMALIES																								
MALE	91	58	2	1	2	2	65	2	4	4	2	3	2	1	1	1	-	2	-	2	-	2	-	-	-
FEMALE	73	38	-	-	2	-	40	2	1	1	5	1	-	2	3	2	4	2	-	1	3	3	2	1	-
760-779 CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD																								
MALE	139	138	-	1	-	-	139	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	104	104	-	-	-	-	104	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 7: CAUSES OF DEATH, CONNECTICUT RESIDENTS, 1980-Continued

ICD 9TH REVISION	TOTAL	AGE AT DEATH																							
		UNDER 1	1 YEAR	2 YEARS	3 YEARS	4 YEARS	TOTAL UNDER 5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 AND OVER	UNKNOWN
798.0 SUDDEN INFANT DEATH SYNDROME																									
MALE	28	27	1	-	-	-	28	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	16	15	1	-	-	-	16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E800-E949 ACCIDENTS																									
MALE	786	2	2	6	1	1	12	21	18	136	142	83	59	35	29	29	26	34	30	25	25	24	26	32	-
FEMALE	319	2	3	1	2	-	8	8	7	28	30	21	19	14	10	14	12	16	20	12	16	22	21	41	-
E810-E825 MOTOR VEHICLE ACCIDENTS																									
MALE	427	-	1	-	-	-	1	15	8	98	100	54	40	18	12	14	9	12	16	11	4	6	8	1	-
FEMALE	150	-	1	-	-	-	1	5	4	25	24	15	14	10	6	10	4	4	6	3	8	4	5	2	-
E910 ACCIDENTAL DROWNING AND SUBMERSION																									
MALE	66	-	1	4	-	-	5	6	5	15	11	9	2	4	1	1	1	3	-	1	-	1	-	1	-
FEMALE	12	-	-	-	1	-	1	2	-	-	3	-	1	-	1	-	-	1	1	1	-	1	-	-	-
E950-E959 SUICIDE AND SELF-INFLICTED INJURY																									
MALE	214	-	-	-	-	-	-	-	-	12	24	26	26	18	17	15	17	10	15	10	10	6	5	3	-
FEMALE	67	-	-	-	-	-	-	-	-	5	9	5	8	4	5	4	4	9	4	3	2	3	2	-	-
E960-E978 HOMICIDE AND LEGAL INTERVENTION																									
MALE	132	-	-	1	-	-	1	1	3	9	25	15	15	20	12	9	11	3	1	5	2	-	-	-	-
FEMALE	36	-	1	-	-	-	1	1	-	2	8	3	6	3	2	-	1	-	1	2	1	1	2	2	-
ALL OTHER CAUSES																									
MALE	961	11	5	1	-	-	17	4	5	18	28	37	36	40	23	23	50	66	92	116	91	112	96	107	-
FEMALE	977	6	2	2	-	-	10	8	9	9	10	17	19	18	18	25	30	54	56	83	94	122	128	267	-

- NO DEATHS REPORTED
NOTE: TABLE IS AVAILABLE BY TOWN OF RESIDENCE ON REQUEST

TABLE 8: CAUSES OF DEATH AMONG NONWHITE RESIDENTS, CONNECTICUT, 1980

ICD 9TH REVISION	TOTAL	AGE AT DEATH																								
		UNDER 1	1 YEAR	2 YEARS	3 YEARS	4 YEARS	TOTAL UNDER 5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 AND OVER	UNKNOWN
TOTAL, ALL CAUSES	1,378	90	4	4	2	-	100	10	8	16	47	28	44	52	83	94	120	115	115	139	112	111	97	87	-
MALE	794	51	1	3	-	-	55	4	6	14	37	21	26	38	48	62	81	71	67	84	58	55	32	35	-
FEMALE	584	39	3	1	2	-	45	6	2	2	10	7	18	14	35	32	39	44	48	55	54	56	65	52	-
7-9 CERTAIN OTHER INTESTINAL INFECTIONS																									
MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10-18 TUBERCULOSIS																									
MALE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
10-12 TUBERCULOSIS OF THE RESPIRATORY SYSTEM																									
MALE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
36 MENINGOCOCCAL INFECTION																									
MALE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
38 SEPTICEMIA																									
MALE	9	-	-	-	-	-	-	-	-	1	-	-	-	1	1	1	1	1	-	2	-	-	1	-	-
FEMALE	8	-	-	1	-	-	1	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	3	2	-
90-97 SYPHILIS																									
MALE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER INFECTIOUS AND PARASITIC DISEASES																									
MALE	5	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	-	1	1	-	-	-	-	-
FEMALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-
140-208 MALIGNANT NEOPLASMS																									
MALE	140	-	-	-	-	-	-	-	-	-	2	1	2	4	7	13	15	21	16	20	15	14	8	2	-
FEMALE	123	-	-	-	-	-	-	-	-	-	-	1	-	1	9	9	14	14	20	16	17	6	7	9	-
210-239 BENIGN AND UNSPECIFIED NEOPLASMS, CARCINOMA IN SITU																									
MALE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-
250 DIABETES MELLITIS																									
MALE	8	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	1	2	1	-	-	-	-
FEMALE	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	2	1	3	1	-
280-285 ANEMIAS																									
MALE	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-
FEMALE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
303 ALCOHOL DEPENDENCE SYNDROME																									
MALE	24	-	-	-	-	-	-	-	-	-	-	-	-	3	3	4	4	2	3	3	2	-	-	-	-
FEMALE	7	-	-	-	-	-	-	-	-	-	-	-	-	1	2	2	-	-	1	1	-	-	-	-	-

TABLE 8: CAUSES OF DEATH AMONG NONWHITE RESIDENTS, CONNECTICUT, 1980-Continued

ICD 9TH REVISION	TOTAL	AGE AT DEATH																							
		UNDER 1	1 YEAR	2 YEARS	3 YEARS	4 YEARS	TOTAL UNDER 5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 AND OVER	UNKNOWN
320-322 MENINGITIS																									
MALE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
390-448 MAJOR CARDIOVASCULAR DISEASES																									
MALE	290	-	-	-	-	-	-	-	1	-	5	-	3	11	16	22	31	26	33	35	29	34	17	27	-
FEMALE	242	1	-	-	1	-	2	-	-	-	-	1	1	4	10	10	14	19	16	32	26	39	37	31	-
390-398,402,404-429 DISEASES OF THE HEART																									
MALE	211	-	-	-	-	-	-	-	1	-	4	-	2	10	10	15	19	22	25	29	20	23	11	20	-
FEMALE	173	1	-	-	1	-	2	-	-	-	-	1	-	3	8	5	8	14	12	20	26	27	27	20	-
390-398 RHEUMATIC FEVER AND RHEUMATIC HEART DISEASE																									
MALE	3	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	1	-
FEMALE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
402 HYPERTENSIVE HEART DISEASE																									
MALE	19	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	2	3	2	3	4	1	-	-
FEMALE	12	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	1	2	1	2	-	1	-	1	-
404 HYPERTENSIVE HEART AND RENAL DISEASE																									
MALE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-
410-414 ISCHEMIC HEART DISEASE																									
MALE	132	-	-	-	-	-	-	-	-	-	-	-	1	3	8	8	13	17	15	19	9	14	9	16	-
FEMALE	105	-	-	-	-	-	-	-	-	-	-	-	-	-	4	2	5	10	6	9	22	22	11	14	-
415-429 OTHER HEART DISEASE																									
MALE	56	-	-	-	-	-	-	-	1	-	3	-	1	6	2	6	3	3	7	8	7	5	1	3	-
FEMALE	53	1	-	-	1	-	2	-	-	-	-	1	-	2	3	1	2	2	4	9	4	4	15	4	-
401,403 HYPERTENSION WITH OR WITHOUT MENTION OF RENAL DISEASE																									
MALE	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	1	-	-	-
FEMALE	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	1	-	-	-	1	-	-
430-438 CEREBROVASCULAR DISEASES																									
MALE	42	-	-	-	-	-	-	-	-	-	-	-	1	1	1	3	2	2	5	4	5	8	4	6	-
FEMALE	35	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	4	2	2	3	-	7	7	7	-
440 ATHEROSCLEROSIS																									
MALE	26	-	-	-	-	-	-	-	-	-	-	-	-	-	3	2	10	1	3	1	2	1	2	1	-
FEMALE	19	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	1	-	-	6	-	3	2	3	-
441-448 OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES																									
MALE	8	-	-	-	-	-	-	-	-	-	1	-	-	-	1	2	-	1	-	1	1	1	-	-	-
FEMALE	9	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	3	-	2	-	1	-

TABLE 8: CAUSES OF DEATH AMONG NONWHITE RESIDENTS, CONNECTICUT, 1980-Continued

ICD 9TH REVISION	TOTAL	AGE AT DEATH																						
		UNDER 1	1 YEAR	2 YEARS	3 YEARS	4 YEARS	TOTAL UNDER 5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 AND OVER	UNKNOWN
480-486 PNEUMONIA																								
MALE	16	2	-	-	-	-	2	-	-	-	-	1	1	1	1	1	-	1	1	2	2	-	3	-
FEMALE	13	1	2	-	-	-	3	1	-	-	-	-	-	-	2	-	-	-	-	1	1	1	2	2	-
487 INFLUENZA																								
MALE	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
490-496 CHRONIC OBSTRUCTIVE PULMONARY DISEASE AND ALLIED CONDITIONS																								
MALE	15	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	2	2	-	4	1	1	1	-
FEMALE	6	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	1	-	2	1	-	-
531-533 ULCER OF STOMACH AND DUODENUM																								
MALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
FEMALE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
550-553, 560 HERNIA OF ABDOMINAL CAVITY AND INTESTINAL OBSTRUCTION																								
MALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-
FEMALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-
571 CHRONIC LIVER DISEASE AND CIRRHOSIS																								
MALE	18	-	-	-	-	-	-	-	-	-	-	-	1	-	4	2	4	1	-	5	-	1	-	-	-
FEMALE	13	-	-	-	-	-	-	-	-	-	-	-	-	1	3	3	2	1	2	-	1	-	-	-	-
580-589 NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS																								
MALE	8	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	2	1	2	1	-	-	1	-
FEMALE	10	-	-	-	-	-	-	-	-	-	1	-	1	1	-	1	1	-	-	-	-	2	2	1	-
590 INFECTIONS OF KIDNEY																								
MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
600 HYPERPLASIA OF PROSTATE																								
MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
740-759 CONGENITAL ANOMALIES																								
MALE	6	3	1	-	-	-	4	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	4	4	-	-	-	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-779 CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD																								
MALE	40	40	-	-	-	-	40	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	28	28	-	-	-	-	28	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 8: CAUSES OF DEATH AMONG NONWHITE RESIDENTS, CONNECTICUT, 1980-Continued

ICD 9TH REVISION	TOTAL	AGE AT DEATH																						
		UNDER 1	1 YEAR	2 YEARS	3 YEARS	4 YEARS	TOTAL UNDER 5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 AND OVER	UNKNOWN
798.0 SUDDEN INFANT DEATH SYNDROME																								
MALE	3	3	-	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	5	5	-	-	-	-	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E800-E949 ACCIDENTS																								
MALE	60	1	-	2	-	-	3	4	4	6	7	4	1	5	5	6	5	3	3	2	-	2	-	-	-
FEMALE	27	-	1	-	1	-	2	2	1	1	3	1	4	3	2	1	1	-	1	1	1	1	2	-	-
E810-E825 MOTOR VEHICLE ACCIDENTS																								
MALE	19	-	-	-	-	-	-	3	1	2	4	2	-	1	1	1	1	1	-	1	-	-	-	-	-
FEMALE	14	-	-	-	-	-	-	-	-	1	2	1	4	1	2	1	1	-	-	1	-	-	-	-	-
E910 ACCIDENTAL DROWNING AND SUBMERSION																								
MALE	9	-	-	-	-	-	-	1	2	2	1	1	1	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E950-E959 SUICIDE AND SELF-INFLICTED INJURY																								
MALE	8	-	-	-	-	-	-	-	-	1	2	2	1	-	-	1	-	-	-	1	-	-	-	-	-
FEMALE	2	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-
E960-E978 HOMICIDE AND LEGAL INTERVENTION																								
MALE	41	-	-	1	-	-	1	-	-	3	11	7	6	4	2	3	3	1	-	-	-	-	-	-	-
FEMALE	12	-	-	-	-	-	-	1	-	1	4	-	3	1	-	-	1	-	-	-	-	-	1	-	-
ALL OTHER CAUSES																								
MALE	91	2	-	-	-	-	2	-	1	3	7	5	9	9	6	7	13	8	5	7	3	2	2	2	-
FEMALE	61	-	-	-	-	-	-	2	1	-	1	4	6	1	5	4	5	9	4	2	5	4	5	3	-

- NO DEATHS REPORTED

TABLE 9: DEATHS UNDER ONE YEAR OF AGE, CONNECTICUT RESIDENTS, 1980

RESIDENCE	DEATHS UNDER 1 YEAR		AGE AT DEATH					CAUSES OF DEATH, ICD 9TH REVISION					
	ALL RACES	NON-WHITE	UNDER 1 DAY	1-6 DAYS	7-27 DAYS	28 DAYS TO 3 MONTHS	3-11 MONTHS	CONGENITAL ANOMALIES 740-759	CERTAIN CONDITIONS ORIG IN PERINATAL PERIOD 760-779	SHORT GESTATION AND UNSPEC LOW BIRTHWT. 765	INTRA UTERINE HYPOXIA AND BIRTH ASPHYXIA 768	SUDDEN INFANT DEATH SYNDROME 798.0	ALL OTHER CAUSES
CONNECTICUT	429	90	188	85	39	50	67	96	242	94	16	42	49
HSA 1 SOUTHWESTERN	77	28	36	18	7	8	8	15	48	21	2	8	6
BRIDGEPORT	34	20	21	3	4	4	2	4	24	13	2	4	2
DARIEN	3	-	-	1	-	-	2	2	-	-	-	-	1
EASTON	1	-	-	1	-	-	-	-	1	-	-	-	-
FAIRFIELD	3	-	-	1	1	-	1	1	2	-	-	-	-
GREENWICH	6	1	1	5	-	-	-	1	4	-	-	1	-
MONROE	5	-	1	2	-	1	1	-	3	2	-	1	1
NEW CANAAN	2	-	-	1	-	-	1	1	-	-	-	1	-
NORWALK	4	1	2	-	-	2	-	1	2	1	-	1	-
STAMFORD	14	4	8	4	-	-	2	4	8	3	-	-	2
STRATFORD	4	2	2	-	2	-	-	1	3	1	-	-	-
TRUMBULL	-	-	-	-	-	-	-	-	-	-	-	-	-
WESTON	-	-	-	-	-	-	-	-	-	-	-	-	-
WESTPORT	1	-	1	-	-	-	-	-	1	1	-	-	-
WILTON	-	-	-	-	-	-	-	-	-	-	-	-	-
HSA 2 SOUTH CENTRAL	90	23	42	16	9	13	10	22	53	23	3	8	7
ANSONIA	1	-	1	-	-	-	-	-	1	1	-	-	-
BETHANY	-	-	-	-	-	-	-	-	-	-	-	-	-
BRANFORD	1	-	-	-	-	1	-	1	-	-	-	-	-
DERBY	4	-	2	1	-	1	-	1	3	1	-	-	-
EAST HAVEN	4	-	3	1	-	-	-	1	3	1	-	-	-
GUILFORD	1	-	-	1	-	-	-	1	-	-	-	-	-
HAMDEN	6	1	3	1	-	1	-	1	3	1	-	1	1
MADISON	-	-	-	-	-	-	-	-	-	-	-	-	-
MERIDEN	12	1	4	1	1	1	5	-	6	2	1	1	3
MILFORD	2	-	1	-	-	-	1	2	2	1	-	-	-
NEW HAVEN	32	21	18	3	2	8	1	-	23	11	2	4	1
NORTH BRANFORD	-	-	-	-	-	-	-	4	-	-	-	-	-
NORTH HAVEN	-	-	-	-	-	-	-	-	-	-	-	-	-
ORANGE	2	-	1	-	-	-	1	-	1	1	-	-	1
OXFORD	4	-	2	1	-	1	-	2	-	-	-	1	1
SEYMOUR	2	-	1	1	-	-	-	-	2	-	-	-	-
SHELTON	3	-	1	-	-	1	-	1	1	-	-	1	-
WALLINGFORD	6	-	2	2	-	1	-	1	3	1	-	-	-
WEST HAVEN	10	-	3	4	-	3	-	3	5	3	-	-	-
WOODBRIDGE	-	-	-	-	-	-	-	-	-	-	-	-	-
HSA 3 EASTERN	64	7	24	12	8	8	12	18	30	14	1	7	9

TABLE 9: DEATHS UNDER ONE YEAR OF AGE, CONNECTICUT RESIDENTS, 1980-Continued

RESIDENCE	DEATHS UNDER 1 YEAR		AGE AT DEATH					CAUSES OF DEATH, ICD 9TH REVISION					
	ALL RACES	NON-WHITE	UNDER 1 DAY	1-6 DAYS	7-27 DAYS	28 DAYS TO 3 MONTHS	3-11 MONTHS	CONGENITAL ANOMALIES 740-759	CERTAIN CONDITIONS ORIG IN PERINATAL PERIOD 760-779	SHORT GESTATION AND UNSPEC LOW BIRTHWT. 765	INTRA UTERINE HYPOXIA AND BIRTH ASPHYXIA 768	SUDDEN INFANT DEATH SYNDROME 798.0	ALL OTHER CAUSES
ASHFORD	1	-	-	-	-	-	1	-	1	-	1	-	-
BOZRAH	-	-	-	-	-	-	-	-	-	-	-	-	-
BROOKLYN	-	-	-	-	-	-	-	-	-	-	-	-	-
CANTERBURY	-	-	-	-	-	-	-	-	-	-	-	-	-
CHAPLIN	1	-	-	-	-	-	1	-	-	-	-	-	-
CHESTER	-	-	-	-	-	-	-	-	-	-	-	-	-
CLINTON	-	-	-	-	-	-	-	-	-	-	-	-	-
COLCHESTER	1	-	-	-	-	1	-	-	-	-	-	-	-
COLUMBIA	-	-	-	-	-	-	-	-	-	-	-	-	-
COVENTRY	2	-	-	-	-	-	2	1	-	-	-	-	-
CROMWELL	-	-	-	-	-	-	-	-	-	-	-	1	-
DEEP RIVER	1	-	-	1	-	-	-	-	1	-	-	-	-
DURHAM	-	-	-	-	-	-	-	-	-	-	-	-	-
EASTFORD	-	-	-	-	-	-	-	-	-	-	-	-	-
EAST HADDAM	2	-	2	-	-	-	-	-	2	-	-	-	-
EAST HAMPTON	3	-	1	1	-	-	-	-	3	2	-	-	-
EAST LYME	3	-	3	-	-	-	-	1	2	2	-	-	-
ESSEX	1	-	-	1	-	-	-	-	1	-	-	-	-
FRANKLIN	-	-	-	-	-	-	-	-	-	-	-	-	-
GRISWOLD	2	-	1	-	-	-	1	1	-	-	-	-	-
GROTON	6	1	2	-	1	1	2	3	1	-	-	1	1
HADDAM	-	-	-	-	-	-	-	-	-	-	-	-	-
HAMPTON	-	-	-	-	-	-	-	-	-	-	-	-	-
KILLINGLY	1	-	-	1	-	-	-	-	1	-	-	-	-
KILLINGWORTH	-	-	-	-	-	-	-	-	-	-	-	-	-
LEBANON	2	-	-	1	1	-	-	2	-	-	-	-	-
LEDYARD	1	-	-	-	-	-	1	-	-	-	-	-	1
LISBON	-	-	-	-	-	-	-	-	-	-	-	-	-
LYME	-	-	-	-	-	-	-	-	-	-	-	-	-
MANSFIELD	1	-	-	-	1	-	-	1	-	-	-	-	-
MIDDLEFIELD	-	-	-	-	-	-	-	-	-	-	-	-	-
MIDDLETOWN	7	2	1	3	-	2	1	2	3	2	-	2	-
MONTVILLE	2	-	-	1	1	-	-	-	2	1	-	-	-
NEW LONDON	9	4	5	3	1	-	-	2	6	4	-	-	-
N STONINGTON	-	-	-	-	-	-	-	-	-	-	-	-	-
NORWICH	8	-	3	-	1	3	1	2	3	2	-	1	2
OLD LYME	1	-	-	-	-	-	1	1	-	-	-	-	-
OLD SAYBROOK	1	-	1	-	-	-	-	-	1	-	-	-	-

TABLE 9: DEATHS UNDER ONE YEAR OF AGE, CONNECTICUT RESIDENTS, 1980-Continued

RESIDENCE	DEATHS UNDER 1 YEAR		AGE AT DEATH					CAUSES OF DEATH, ICD 9TH REVISION					
	ALL RACES	NON-WHITE	UNDER 1 DAY	1-6 DAYS	7-27 DAYS	28 DAYS TO 3 MONTHS	3-11 MONTHS	CONGENITAL ANOMALIES 740-759	CERTAIN CONDITIONS ORIG IN PERINATAL PERIOD 760-779	SHORT GESTATION AND UNSPEC LOW BIRTHWT. 765	INTRA UTERINE HYPOXIA AND BIRTH ASPHYXIA 768	SUDDEN INFANT DEATH SYNDROME 798.0	ALL OTHER CAUSES
PLAINFIELD	1	-	1	-	-	-	-	-	1	-	-	-	-
POMFRET	-	-	-	-	-	-	-	-	-	-	-	-	-
PORTLAND	-	-	-	-	-	-	-	-	-	-	-	-	-
PRESTON	2	-	1	-	-	-	1	1	-	-	-	1	-
PUTNAM	1	-	1	-	-	-	-	-	1	-	-	-	-
SALEM	-	-	-	-	-	-	-	-	-	-	-	-	-
SCOTLAND	-	-	-	-	-	-	-	-	-	-	-	-	-
SPRAGUE	-	-	-	-	-	-	-	-	-	-	-	-	-
STERLING	-	-	-	-	-	-	-	-	-	-	-	-	-
STONINGTON	-	-	-	-	-	-	-	-	-	-	-	-	-
THOMPSON	-	-	-	-	-	-	-	-	-	-	-	-	-
UNION	-	-	-	-	-	-	-	-	-	-	-	-	-
VOLUNTOWN	1	-	1	-	-	-	-	-	-	-	-	-	1
WATERFORD	3	-	1	-	1	1	-	1	1	1	-	1	-
WESTBROOK	-	-	-	-	-	-	-	-	-	-	-	-	-
WILLINGTON	-	-	-	-	-	-	-	-	-	-	-	-	-
WINDHAM	-	-	-	-	-	-	-	-	-	-	-	-	-
WOODSTOCK	-	-	-	-	-	-	-	-	-	-	-	-	-
HSA 4 NORTH CENTRAL.	135	30	62	25	11	14	23	28	76	28	6	12	19
ANDOVER	-	-	-	-	-	-	-	-	-	-	-	-	-
AVON	2	-	1	1	-	-	-	-	2	-	1	-	-
BERLIN	-	-	-	-	-	-	-	-	-	-	-	-	-
BLOOMFIELD	3	-	2	-	-	-	1	-	2	-	-	-	1
BOLTON	-	-	-	-	-	-	-	-	-	-	-	-	-
BRISTOL	8	2	3	4	-	-	1	3	3	1	-	1	1
BURLINGTON	-	-	-	-	-	-	-	-	-	-	-	-	-
CANTON	3	1	3	-	-	-	-	-	3	-	-	-	-
EAST GRANBY	-	-	-	-	-	-	-	-	-	-	-	-	-
EAST HARTFORD	6	-	3	-	-	2	1	-	3	2	-	1	2
EAST WINDSOR	-	-	-	-	-	-	-	-	-	-	-	-	-
ELLINGTON	3	-	2	-	-	-	1	2	1	-	-	-	-
ENFIELD	6	-	2	-	1	1	2	1	2	-	-	2	1
FARMINGTON	-	-	-	-	-	-	-	-	-	-	-	-	-
GLASTONBURY	3	-	-	-	1	2	-	2	1	-	1	-	-
GRANBY	1	-	1	-	-	-	-	-	1	-	-	-	-
HARTFORD	37	22	17	3	2	-	10	5	23	9	1	1	8
HARTLAND	1	-	-	-	1	-	-	-	1	-	-	-	-
HEBRON	2	-	-	1	-	1	-	-	1	-	-	1	-

TABLE 9: DEATHS UNDER ONE YEAR OF AGE, CONNECTICUT RESIDENTS, 1980-Continued

RESIDENCE	DEATHS UNDER 1 YEAR		AGE AT DEATH					CAUSES OF DEATH, ICD 9TH REVISION					
	ALL RACES	NON-WHITE	UNDER 1 DAY	1-6 DAYS	7-27 DAYS	28 DAYS TO 3 MONTHS	3-11 MONTHS	CONGENITAL ANOMALIES 740-759	CERTAIN CONDITIONS ORIG IN PERINATAL PERIOD 760-779	SHORT GESTATION AND UNSPEC LOW BIRTHWT. 765	INTRA UTERINE HYPOXIA AND BIRTH ASPHYXIA 768	SUDDEN INFANT DEATH SYNDROME 798.0	ALL OTHER CAUSES
MANCHESTER	9	-	2	5	-	1	1	2	4	1	-	1	2
MARLBOROUGH	3	1	2	-	1	-	-	-	3	3	-	-	-
NEW BRITAIN	17	2	11	2	1	2	1	3	11	7	1	2	1
NEWINGTON	1	-	-	1	-	-	-	-	1	-	-	-	-
PLAINVILLE	3	-	1	1	-	1	-	1	2	-	-	-	-
PLYMOUTH	1	-	-	-	-	-	1	-		-	-	1	-
ROCKY HILL	1	-	1	-	-	-	-	1	-	-	-	-	-
SIMSBURY	2	-	-	-	-	2	-	-	1	-	-	-	1
SOMERS	1	-	-	1	-	-	-	-	1	-	-	-	-
SOUTHINGTON	5	-	3	-	-	1	1	1	3	1	-	1	-
SOUTH WINDSOR	3	1	1	-	2	-	-	1	2	-	-	-	-
STAFFORD	-	-	-	-	-	-	-	-		-	-	-	-
SUFFIELD	1	-	1	-	-	-	-	-	1	1	-	-	1
TOLLAND	1	-	-	-	1	-	-	-		-	-	-	-
VERNON	4	-	2	-	-	-	2	1	1	1	-	1	1
WEST HARTFORD	5	-	2	1	1	1	-	3	2	-	2	-	-
WETHERSFIELD	-	-	-	-	-	-	-	-		-	-	-	-
WINDSOR	3	1	2	-	-	-	1	2	1	-	-	-	-
WINDSOR LOCKS	-	-	-	-	-	-	-	-		-	-	-	-
HSA 5 NORTHWESTERN..	63	2	24	14	4	7	14	13	35	8	4	7	8
BARKHAMSTED	1	-	1	-	-	-	-	-	1	-	-	-	-
BEACON FALLS	-	-	-	-	-	-	-	-		-	-	-	-
BETHEL	1	-	-	-	-	1	-	-	-	-	-	-	1
BETHLEHEM	-	-	-	-	-	-	-	-	-	-	-	-	-
BRIDGEWATER	-	-	-	-	-	-	-	-	-	-	-	-	-
BROOKFIELD	1	-	-	-	-	1	-	-	-	-	-	-	-
CANAAN	-	-	-	-	-	-	-	-	1	-	-	-	-
CHESHIRE	2	-	2	-	-	-	-	-	1	-	-	-	-
COLEBROOK	-	-	-	-	-	-	-	-	-	-	-	-	-
CORNWALL	-	-	-	-	-	-	-	-	-	-	-	-	-
DANBURY	6	-	4	-	1	-	1	2	4	1	-	-	-
GOSHEN	-	-	-	-	-	-	-	-	-	-	-	-	-
HARWINTON	-	-	-	-	-	-	-	-	-	-	-	-	-
KENT	-	-	-	-	-	-	-	-	-	-	-	-	-
LITCHFIELD	2	-	-	-	-	-	2	1	-	-	-	1	-
MIDDLEBURY	1	-	-	-	-	-	1	1	-	-	-	-	-
MORRIS	-	-	-	-	-	-	-	-	-	-	-	-	-
NAUGATUCK	2	-	-	1	1	-	-	-	2	-	-	-	-

TABLE 9: DEATHS UNDER ONE YEAR OF AGE, CONNECTICUT RESIDENTS, 1980-Continued

RESIDENCE	DEATHS UNDER 1 YEAR		AGE AT DEATH					CAUSES OF DEATH, ICD 9TH REVISION					
	ALL RACES	NON-WHITE	UNDER 1 DAY	1-6 DAYS	7-27 DAYS	28 DAYS TO 3 MONTHS	3-11 MONTHS	CONGENITAL ANOMALIES 740-759	CERTAIN CONDITIONS ORIG IN PERINATAL PERIOD 760-779	SHORT GESTATION AND UNSPEC LOW BIRTHWT. 765	INTRA UTERINE HYPOXIA AND BIRTH ASPHYXIA 768	SUDDEN INFANT DEATH SYNDROME 798.0	ALL OTHER CAUSES
NEW FAIRFIELD	1	-	-	-	-	1	-	-	-	-	-	-	1
NEW HARTFORD	-	-	-	-	-	-	-	-	-	-	-	-	-
NEW MILFORD	3	1	-	2	1	-	-	-	-	3	1	-	1
NEWTOWN	4	-	2	1	2	-	1	-	1	2	1	-	1
NORFOLK	1	-	-	-	-	-	1	-	-	-	-	-	-
NORTH CANAAN	-	-	-	-	-	-	-	-	-	-	-	-	-
PROSPECT	-	-	-	-	-	-	-	-	-	-	-	-	-
REDDING	1	-	-	1	-	-	-	-	-	1	1	-	-
RIDGEFIELD	6	-	3	-	2	-	1	-	1	4	-	-	-
ROXBURY	-	-	-	-	-	-	-	-	-	-	-	-	-
SALISBURY	-	-	-	-	-	-	-	-	-	-	-	-	-
SHARON	-	-	-	-	-	-	-	-	-	-	-	-	-
SHERMAN	2	-	-	-	-	1	-	-	-	1	-	1	-
SOUTHBURY	1	-	-	-	1	-	-	-	-	1	-	-	-
THOMASTON	4	-	2	-	-	-	1	2	1	1	1	-	-
TORRINGTON	3	-	1	1	-	-	-	1	1	1	-	-	1
WARREN	1	-	-	-	-	-	-	-	-	-	-	1	-
WASHINGTON	1	-	-	-	-	-	-	1	-	8	1	-	-
WATERBURY	14	1	3	6	1	2	2	2	2	2	1	1	-
WATERTOWN	2	-	2	-	-	-	-	-	1	1	-	-	1
WINCHESTER	2	-	1	1	-	-	-	-	-	-	-	-	-
WOLCOTT	1	-	-	-	-	-	1	-	-	-	-	-	-
WOODBURY	-	-	-	-	-	-	-	-	-	-	-	-	-

- NO DEATHS REPORTED

TABLE 10: SELECTED CAUSES OF INFANT DEATHS, CONNECTICUT RESIDENTS, 1980

ALL RACES

ICD 9TH REVISION	AGE AT DEATH																	
	TOTAL UNDER 1 YEAR	UNDER 1 DAY	1-6 DAYS	7-13 DAYS	14-20 DAYS	21-27 DAYS	UNDER 4 WEEKS	28 DAYS TO 2 MOS.	2 MOS.	3 MOS.	4 MOS.	5 MOS.	6 MOS.	7 MOS.	8 MOS.	9 MOS.	10 MOS.	11 MOS.
TOTAL, ALL CAUSES	429	188	85	26	9	4	312	31	19	16	14	11	10	3	5	3	2	3
MALE	251	101	61	11	5	2	180	21	11	10	7	8	3	1	2	2	2	2
FEMALE	178	87	24	15	4	2	132	10	6	6	7	3	7	2	3	1	-	1
001-139 INFECTIVE AND PARASITIC DISEASES																		
MALE	3	-	-	1	-	-	1	-	-	-	1	-	-	1	-	-	-	-
FEMALE	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
140-208 MALIGNANT NEOPLASMS																		
MALE	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE	2	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
390-398, 402,404-429 DISEASES OF THE HEART																		
MALE	3	-	-	-	-	-	-	1	-	-	-	-	-	-	-	2	-	-
FEMALE	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
460-519 DISEASES OF THE RESPIRATORY SYSTEM																		
MALE	8	-	-	-	-	-	-	3	1	1	2	-	-	-	-	-	-	1
FEMALE	3	-	1	-	-	-	1	-	-	-	-	1	1	-	-	-	-	-
480-486 PNEUMONIA																		
MALE	7	-	-	-	-	-	-	3	1	1	1	-	-	-	-	-	-	1
FEMALE	2	-	1	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
520-579 DISEASES OF THE DIGESTIVE SYSTEM																		
MALE	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE																		
740-759 CONGENITAL ANOMALIES	58	14	19	5	1	1	40	6	4	2	1	3	-	-	-	-	2	-
MALE	38	14	5	5	1	1	26	3	-	1	2	1	3	-	2	-	-	-
FEMALE																		
760-779 CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD	138	83	40	5	4	1	133	3	-	1	-	1	-	-	-	-	-	-
MALE	104	71	17	9	2	-	99	3	-	-	-	-	-	-	1	1	-	-
FEMALE																		

TABLE 10: SELECTED CAUSES OF INFANT DEATHS, CONNECTICUT RESIDENTS, 1980-Continued

ALL RACES

ICD 9TH REVISION	AGE AT DEATH																	
	TOTAL UNDER 1 YEAR	UNDER 1 DAY	1-6 DAYS	7-13 DAYS	14-20 DAYS	21-27 DAYS	UNDER 4 WEEKS	28 DAYS TO 2 MOS.	2 MOS.	3 MOS.	4 MOS.	5 MOS.	6 MOS.	7 MOS.	8 MOS.	9 MOS.	10 MOS.	11 MOS.
765 DISORDERS RELATING TO SHORT GESTATION AND LOW BIRTH WEIGHT																		
MALE	52	43	6	1	1	-	51	1	-	-	-	-	-	-	-	-	-	-
FEMALE	42	37	2	2	-	-	41	1	-	-	-	-	-	-	-	-	-	-
767 BIRTH TRAUMA																		
MALE	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE	2	-	1	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
768 INTRAUTERINE HYPOXIA AND BIRTH ASPHYXIA																		
MALE	10	4	3	-	-	1	8	1	-	-	-	1	-	-	-	-	-	-
FEMALE	6	3	1	-	1	-	5	-	-	-	-	-	-	-	-	1	-	-
798.0 SUDDEN INFANT DEATH SYNDROME																		
MALE	27	2	1	-	-	-	3	7	8	4	2	2	1	-	-	-	-	-
FEMALE	15	-	-	-	-	-	-	3	5	3	2	-	1	-	-	-	-	1
E800-E949 ACCIDENTS																		
MALE	2	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-
FEMALE	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
E911-E912 INHALATION AND INGESTION OF FOOD OR OTHER OBJECT																		
FEMALE	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
ALL OTHER CAUSES																		
MALE	11	2	1	-	-	-	3	2	-	1	-	2	1	-	1	-	-	1
FEMALE	11	2	-	1	1	1	5	1	1	1	1	-	-	2	-	-	-	-

TABLE 10: SELECTED CAUSES OF INFANT DEATHS, CONNECTICUT RESIDENTS, 1980-Continued

NONWHITE

ICD 9TH REVISION	AGE AT DEATH																	
	TOTAL UNDER 1 YEAR	UNDER 1 DAY	1-6 DAYS	7-13 DAYS	14-20 DAYS	21-27 DAYS	UNDER 4 WEEKS	28 DAYS TO 2 MOS.	2 MOS.	3 MOS.	4 MOS.	5 MOS.	6 MOS.	7 MOS.	8 MOS.	9 MOS.	10 MOS.	11 MOS.
TOTAL, ALL CAUSES.....	90	56	10	6	1	1	74	7	3	2	-	2	2	-	-	-	-	-
MALE.....	51	33	4	3	1	1	42	4	1	2	-	2	-	-	-	-	-	-
FEMALE.....	39	23	6	3	-	-	32	3	2	-	-	-	2	-	-	-	-	-
390-398, 402,404-429 DISEASES OF THE HEART																		
FEMALE.....	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
460-519 DISEASES OF THE RESPIRATORY SYSTEM																		
MALE.....	2	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
FEMALE.....	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
480-486 PNEUMONIA																		
MALE.....	2	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
FEMALE.....	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
740-759 CONGENITAL ANOMALIES																		
MALE.....	3	-	1	1	-	-	2	1	-	-	-	-	-	-	-	-	-	-
FEMALE.....	4	2	-	1	-	-	3	-	-	-	-	-	1	-	-	-	-	-
760-779 CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD																		
MALE.....	40	32	3	2	1	1	39	1	-	-	-	-	-	-	-	-	-	-
FEMALE.....	28	21	4	2	-	-	27	1	-	-	-	-	-	-	-	-	-	-
765 DISORDERS RELATING TO SHORT GESTATION AND LOW BIRTH WEIGHT																		
MALE.....	24	22	-	1	-	-	23	1	-	-	-	-	-	-	-	-	-	-
FEMALE.....	11	10	1	-	-	-	11	-	-	-	-	-	-	-	-	-	-	-
768 INTRAUTERINE HYPOXIA AND BIRTH ASPHYXIA																		
MALE.....	2	1	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE.....	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
798.0 SUDDEN INFANT DEATH SYNDROME																		
MALE.....	3	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-
FEMALE.....	5	-	-	-	-	-	-	2	2	-	-	-	1	-	-	-	-	-

TABLE 10: SELECTED CAUSES OF INFANT DEATHS, CONNECTICUT RESIDENTS, 1980-Continued

NONWHITE

ICD 9TH REVISION	AGE AT DEATH																	
	TOTAL UNDER 1 YEAR	UNDER 1 DAY	1-6 DAYS	7-13 DAYS	14-20 DAYS	21-27 DAYS	UNDER 4 WEEKS	28 DAYS TO 2 MOS.	2 MOS.	3 MOS.	4 MOS.	5 MOS.	6 MOS.	7 MOS.	8 MOS.	9 MOS.	10 MOS.	11 MOS.
E800-E949 ACCIDENTS																		
MALE.....	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER CAUSES																		
MALE.....	2	1	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-

- NO DEATHS REPORTED

TABLE 11: LEADING CAUSES OF DEATH IN CERTAIN AGE GROUPS, CONNECTICUT, 1980

Causes of Death (ICD 9th Revision)	Total Deaths	Age Specific Death Rate Per 100,000	Cause Per Cent Within Age Group	Male Deaths	Age Specific Male Rate Per 100,000	Cause Per Cent Within Age Group	Female Deaths	Age Specific Female Rate Per 100,000	Cause Per Cent Within Age Group
All Causes (under 1 year)*	429	11.1	100.0	251	12.6	100.0	178	9.5	100.0
Certain conditions originating in perinatal period (immaturity related to low birth weight) (760-779)	242	6.2	56.4	138	6.9	55.0	104	5.5	58.4
Congenital Anomalies (740-759)	96	2.5	22.4	58	2.9	23.1	38	2.0	21.3
Sudden infant death syndrome (798.0)	42	1.1	9.8	27	1.4	10.8	15	0.8	8.4
Influenza and pneumonia (480-487)	9	0.2	2.1	7	0.4	2.8	2	0.1	1.1
All other causes	40	1.0	9.3	21	1.1	8.4	19	1.0	10.7
All Causes (1-14 years)	187	30.7	100.0	116	37.3	100.0	71	23.8	100.0
Accidents, total (E800-E949)	70	11.5	37.4	49	15.8	42.2	21	7.1	29.6
Malignant neoplasms (140-208)	32	5.3	17.1	21	6.8	18.1	11	3.7	15.5
Congenital Anomalies (740-759)	18	3.0	9.6	13	4.2	11.2	5	1.7	7.0
Hereditary and degenerative diseases of central nervous system (330-337)	8	1.3	4.3	3	1.0	2.6	5	1.7	7.0
Homicide (E960-E969)	7	1.2	3.7	5	1.6	4.3	2	0.7	2.8
Diseases of the heart (390-398, 402, 404-429)	5	0.8	2.7	1	0.3	0.9	4	1.3	5.6
Influenza and pneumonia (480-487)	4	0.7	2.1	-	-	-	4	1.3	5.6
All other causes	43	7.1	23.0	24	7.7	20.7	19	6.4	26.8
All Causes (15-24 years)	592	105.6	100.0	462	164.1	100.0	130	46.6	100.0
Accidents, total (E800-E949)	336	59.9	56.8	278	98.7	60.2	58	20.8	44.6
Suicide (E950-E959)	50	8.9	8.5	36	12.8	7.8	14	5.0	10.8
Homicide and legal intervention (E960-E978)	44	7.8	7.4	34	12.1	7.4	10	3.6	7.7
Malignant neoplasms (140-208)	43	7.7	7.3	30	10.7	6.5	13	4.7	10.0
Diseases of the heart (390-398, 402, 404-429)	18	3.2	3.0	17	6.0	3.7	1	0.4	0.8
Congenital Anomalies (740-759)	12	2.1	2.0	6	2.1	1.3	6	2.1	4.6
Injury undetermined whether accidentally or purposely inflicted (E980-E989)	11	2.0	1.9	7	2.5	1.5	4	1.4	3.1
All other causes	78	13.9	13.2	54	19.2	11.7	24	8.6	18.5
All Causes (25-44 years)	1234	143.4	100.0	842	200.5	100.0	392	89.0	100.0
Accidents, total (E800-E949)	270	31.4	21.9	206	49.0	24.5	64	14.5	16.3
Malignant neoplasms (140-209)	237	27.5	19.2	118	28.1	14.0	119	27.0	30.4
Diseases of the heart (390-398, 402, 404-429)	147	17.1	11.9	117	27.9	13.9	30	6.8	7.7
Suicide (E950-E959)	109	12.7	8.8	87	20.7	10.3	22	5.0	5.6
Homicide and legal intervention (E960-E978)	76	8.8	6.2	62	14.8	7.4	14	3.2	3.6
Chronic liver disease and cirrhosis (571)	37	4.3	3.0	26	6.2	3.1	11	2.5	2.8
Flu and pneumonia (480-487)	22	2.6	1.8	14	3.3	1.7	8	1.8	2.0
Alcohol dependence syndrome (303)	21	2.4	1.7	17	4.0	2.0	4	0.9	1.0
Cerebrovascular disease (430-438)	21	2.4	1.7	12	2.9	1.4	9	2.0	2.3
Injury undetermined whether accidentally or purposely inflicted (E980-E989)	20	2.3	1.6	15	3.6	1.8	5	1.1	1.3
All other causes	274	31.8	22.2	168	40.0	20.0	106	24.1	27.0

TABLE 11: LEADING CAUSES OF DEATH IN CERTAIN AGE GROUPS, CONNECTICUT, 1980, cont'd.

Causes of Death (ICD 9th Revision)	Total Deaths	Age Specific Death Rate Per 100,000	Cause Per Cent Within Age Group	Male Deaths	Age Specific Male Rate Per 100,000	Cause Per Cent Within Age Group	Female Deaths	Age Specific Female Rate Per 100,000	Cause Per Cent Within Age Group
All Causes (45-64)	5746	852.1	100.0	3525	1093.8	100.0	2221	630.8	100.0
Malignant neoplasms (140-208)	2080	308.5	36.2	1040	322.7	29.5	1040	295.4	46.8
Diseases of the heart (390-398, 402, 404-429)	1931	286.4	33.6	1426	442.5	40.5	505	143.4	22.7
Cerebrovascular diseases (430-438)	219	32.5	3.8	107	33.2	3.0	112	31.8	5.0
Chronic liver disease and cirrhosis (571)	185	27.4	3.2	116	36.0	3.3	69	19.6	3.1
Accidents, total (E800-E949)	181	26.8	3.2	119	36.9	3.4	62	17.6	2.8
Chronic obstructive pulmonary diseases and allied conditions (490-496)	120	17.8	2.1	77	23.9	2.2	43	12.2	1.9
Atherosclerosis (440)	104	15.4	1.8	79	24.5	2.2	25	7.1	1.1
Suicide (E950-E959)	78	11.6	1.4	57	17.7	1.6	21	6.0	1.0
Diabetes mellitus (250)	72	10.7	1.3	40	12.4	1.1	32	9.1	1.4
All other causes	776	115.1	13.5	464	144.0	13.2	312	88.6	14.1
All Causes (65 years and over)	19064	5225.4	100.0	9018	6283.7	100.0	10046	4538.8	100.0
Diseases of the heart (390-398, 402, 404-429)	8230	2255.8	43.2	3810	2654.8	42.2	4420	1997.0	44.0
Malignant Neoplasms (140-208)	4114	1127.6	21.6	2200	1533.0	24.4	1914	864.7	19.1
Cerebrovascular diseases (430-438)	1836	503.2	9.6	662	461.3	7.3	1174	530.4	11.7
Influenza and pneumonia (480-487)	799	219.0	4.2	356	248.1	3.9	443	200.1	4.4
Atherosclerosis (440)	610	167.2	3.2	262	182.6	2.9	348	157.2	3.5
Chronic obstructive pulmonary diseases and allied conditions (490-496)	566	155.1	3.0	351	244.6	3.9	215	97.1	2.1
Diabetes Mellitus (250)	309	84.7	1.6	113	78.7	1.3	196	88.6	2.0
Accidents, total (E800-E949)	244	66.9	1.3	132	92.0	1.5	112	50.6	1.1
All other causes	2356	645.8	12.4	1132	788.8	12.6	1224	553.0	12.2

*Rates for persons under one year per 1,000 live births.

TABLE 12: NUMBER OF PRESENT MARRIAGE
CONNECTICUT, 1980

Number	Bride	Groom
Total	26,048	26,048
First	18,748	18,027
Second	6,322	6,968
Third	862	921
Fourth	83	106
Fifth	9	10
Sixth	2	-
Seventh	-	-
Eighth	-	-
Unknown	22	16

TABLE 13: PREVIOUS MARITAL STATUS OF BRIDE & GROOM
CONNECTICUT, 1980

Previous Marital Status	Bride	Groom
All Marriages	26,048	26,048
Never Married	18,738	18,018
Widowed	825	851
Divorced	6,444	7,116
Annulment	25	47
Unknown	16	16

TABLE 14: COUNTY OF DISSOLUTION OF MARRIAGES
CONNECTICUT, 1980

COUNTY	TOTAL
CONNECTICUT, TOTAL	13,488
Fairfield	2,853
Hartford	3,588
Litchfield	574
Middlesex	653
New Haven	3,294
New London	1,336
Tolland	731
Windham	459
Sex of Complainant:	
Male	4,101
Female	8,994
Not Stated	393

TABLE 15: CHILDREN UNDER 18
AFFECTED BY MARRIAGE DISSOLUTION
CONNECTICUT, 1980

Number of Children Under 18 Years Per Dissolution	Number of Dissolutions
Total	13,488
No children	5,791
One child	3,388
Two children	2,982
Three children	975
Four children	265
Five children	68
Six or more children	19

TABLE 16: DURATION OF MARRIAGES DISSOLVED
CONNECTICUT, 1980

Year Marriage Was Contracted	Number of Marriages Dissolved	Year Marriage Was Contracted	Number of Marriages Dissolved
TOTAL	13,488	1965	356
1980	57	1964	297
1979	508	1963	308
1978	950	1962	251
1977	1,005	1961	226
1976	1,024	1960	241
1975	920	1959-1955	915
1974	863	1954-1950	537
1973	759	1949-1945	249
1972	691	1944-1940	100
1971	601	1939-1935	36
1970	615	1934-1930	11
1969	576	Prior to 1930	8
1968	498	Unknown	56
1967	425		
1966	405		

GLOSSARY

Birth Weight	Weight of fetus or infant at a time of delivery.
Fetal Death	Death prior to the complete expulsion of extraction from the mother of a product of conception, which has passed through at least the 20th week of gestation. The fetus shows no signs of life such as heartbeat, pulsation of the umbilical cord, or movement of voluntary muscles.
Gestational Period	Number of weeks elapsed between the first day of the last menstrual period and date of delivery.
Infant Death	Death occurring to an individual of less than 1 year of age.
Live Birth	The complete expulsion or extraction from the mother of a product of conception, irrespective of the duration of pregnancy; after such separation, breathes or show other signs of life.
Low Birth Weight	Birth wherein the birth weight is equivalent to 2,500 grams or less (approximately 5 lbs. 8 oz.).
Maternal Death	Those deaths wherein the physician has designated a maternal condition as the underlying cause of death.
Neonatal Death	Death occurring to an infant less than 28 days of age.
Occurrence	Place where the event actually occurred regardless of residence.
Residence	Usual place of residence for person to whom event occurred. For births and fetal deaths residence is defined as the mother's usual place of residence.

RATES

Age-Adjusted Death Rate:	Sum of (Age-Specific Death Rates X Proportion of Standard Population in Specific Age Group)
Age-Specific Birth Rate:	$\frac{\text{No. of Resident Live Births for a Specific Age of Mother}}{\text{Total Female Population of Specific Age}} \times 1{,}000$
Age-Specific Death Rate:	$\frac{\text{No. of Deaths in Specific Age Group}}{\text{Total Resident Population in Specific Age Group}} \times 100{,}000$
Crude Birth Rate:	$\frac{\text{No. of Resident Live Births}}{\text{Total Resident Population}} \times 1{,}000$
Crude Death Rate:	$\frac{\text{No. of Resident Deaths}}{\text{Total Resident Population}} \times 1{,}000$
Divorce Rate:	$\frac{\text{No. of Persons (Divorces \& Annulments)}}{\text{Total Resident Population}} \times 1{,}000$
Fetal Death Ratio:	$\frac{\text{Fetal Deaths at Place of Occurrence}}{\text{Total of Births at Place of Occurrence}} \times 1{,}000$
Infant Death Rate:	$\frac{\text{No. of Resident Deaths}}{\text{Total Resident Live Births}} \times 1{,}000$
Marriage Rate:	$\frac{\text{No. of Persons Married}}{\text{Total Resident Population}} \times 1{,}000$

APPENDIX

The tables of the appendix summarize changes in the vital statistics for Connecticut's population, and adjust the state's age and sex population estimates between census years. These tables will be presented decennially in the Registration Report for each census year.

Rates of vital events are calculated annually during the decade between census years, using the populations estimated by the Department of Health Services. It has been traditional to recalculate the rates for the decades using adjusted intercensal population estimates. In Tables I and II, the rates have been recalculated using the adjusted population estimates for 1960-1970 and for 1970-1980. The adjusted rates for previous decades were last published in the 130th Registration Report, 1977, Tables 1 and 2.

The population adjustment by age and sex of 1961-1969 was published in the 124th Registration Report, 1971. The 1970-1980 adjustment of population by age and sex is in Table III. It is a straight line adjustment between the 1970 and the 1980 census, constructed after a consultation with the Bureau of the Census.

Beginning with statistics for the year 1927, interstate transfer of birth and death records for Connecticut residents, occurring in other states and in Canada, were included with events to Connecticut residents occurring in Connecticut. The resident figures do not include residents of other states and countries. All events occurring in Connecticut are recorded and tabulated as such, regardless of residence.

The ninth revision of the International Classification of Disease (ICD) went into use, in Connecticut, with the 1979 data. Comparing causes of death coded by one revision to causes coded by another revision presents difficulties with continuity of classification. Comparability ratios are published by the National Center for Health Statistics and it is necessary to consult these publications when comparing causes of death through the years as the ICD has changed.

The classification of causes of death in Table II follow the ninth revision of the ICD. Previous revisions were used in Connecticut as follows:

1st Revision	1900-1910	Bertillon System of coding was adopted for world use and became the 1st revision of ICD.
2nd Revision	1911-1921	
3rd Revision	1922-1931	
4th Revision	1932-1939	
5th Revision	1940-1948	
6th Revision	1949-1957	
7th Revision	1958-1968	
8th Revision	1969-1978	
9th Revision	1979-	

Complete annual rates for Table II were last published as Table 2 in Registration Reports for years:

1900-1910 in 1948 (Occurring in Connecticut)
1910-1919 in 1963 (Occurring in Connecticut)
1920-1926 in 1966 (Occurring in Connecticut)
1927-1929 in 1966 (Residents of Connecticut)
1931-1939 in 1976 (Residents of Connecticut)
1941-1949 in 1977 (Residents of Connecticut)
1951-1959 in 1977 (Residents of Connecticut)

TABLE I-VITAL STATISTICS: CONNECTICUT, 1850-1980

YEAR	Estimated Population as of July 1	Live Births[1]	Deaths	Marriages	Marriages Dissolved	Fetal Deaths[1]	Deaths Under 1 year	Birth Rate[2]	Death Rate[2]	Marriage Rate[3]	Marriages Dissolved Rate[3]	Fetal Death Ratio[4]	Infant Mortality Rate[4]
Place of Occurrence[5]													
1850	370,792	7,578	5,170	2,844	....	...	766	20.4	13.9	15.3	...	....	101.1
1900	908,420	20,560	16,368	6,991	452	841	3,521	22.6	18.0	15.4	1.0	40.9	171.3
1910	1,118,179	27,314	17,500	10,103	568	1,124	3,472	24.4	15.7	18.1	1.0	41.2	127.1
1920	1,391,669	34,121	18,925	14,387	1,375	1,219	3,063	24.5	13.6	20.7	2.0	35.7	89.8
1930	1,609,461	27,564	17,287	11,033	1,252	814	1,540	17.1	10.7	13.7	1.6	29.5	55.9
1940	1,711,800	24,902	17,896	17,374	1,743	511	860	14.5	10.5	20.3	2.0	20.5	34.5
1950	2,016,268	39,754	18,910	19,474	2,712	560	867	19.7	9.4	19.3	2.7	14.1	21.8
*1960	2,535,234	55,916	23,553	17,877	2,599	720	1,157	22.0	9.3	14.1	2.0	12.9	20.7
1961	2,600,889	56,211	23,585	17,793	2,833	696	1,250	21.6	9.1	13.7	2.2	12.4	22.2
1962	2,656,840	54,729	24,657	18,079	3,016	737	1,242	20.6	9.3	13.6	2.3	13.5	22.7
1963	2,702,389	55,826	25,405	19,336	3,219	676	1,262	20.6	9.4	14.3	2.4	12.1	22.6
1964	2,763,195	56,019	24,976	20,055	3,737	758	1,163	20.3	9.0	14.5	2.7	13.5	20.8
1965	2,810,616	53,565	25,410	20,953	3,733	646	1,207	19.1	9.0	14.9	2.7	12.1	22.5
1966	2,856,156	51,359	25,892	21,348	4,139	644	1,079	18.0	9.1	14.9	2.9	12.5	21.0
1967	2,909,312	49,209	25,871	22,571	4,700	576	946	16.9	8.9	15.5	3.2	11.7	19.2
1968	2,943,530	48,327	26,595	24,262	5,363	548	927	16.4	9.0	16.5	3.6	11.4	19.2
1969	2,992,884	49,436	26,108	24,883	5,749	580	920	16.5	8.7	16.6	3.8	11.7	18.6
*1970	3,031,709	50,052	25,805	24,929	5,812	559	859	16.5	8.5	16.5	3.8	11.2	17.2
1971	3,039,295	45,138	26,174	23,825	7,034	472	707	14.9	8.6	15.7	4.6	10.5	15.7
1972	3,046,884	39,145	26,344	24,485	8,415	421	644	12.8	8.6	16.1	5.5	10.8	16.5
1973	3,054,470	37,088	26,807	25,517	8,079	390	544	12.1	8.8	16.7	5.3	10.5	14.7
1974	3,062,055	36,434	26,220	24,550	11,084	371	555	11.9	8.6	16.1	7.2	10.2	15.2
1975	3,069,652	35,622	25,736	23,472	12,161	356	555	11.6	8.4	15.3	7.9	10.0	15.6
1976	3,077,230	35,408	26,180	22,966	11,889	318	508	11.5	8.5	14.9	7.7	9.0	14.3
1977	3,084,817	36,299	25,779	23,130	12,353	307	476	11.8	8.4	15.0	8.0	8.5	13.1
1978	3,092,401	36,844	26,105	24,001	12,610	303	424	11.9	8.4	15.5	8.2	8.2	11.5
1979	3,099,992	38,452	26,133	25,431	14,101	333	474	12.4	8.4	16.4	9.1	8.7	12.3
*1980	3,107,576	38,526	27,509	26,048	13,488	301	443	12.4	8.9	16.8	8.7	7.8	11.5

TABLE I-VITAL STATISTICS: CONNECTICUT, 1850-1980, (Cont'd.)

	Estimated Population as of July 1	Live Births[1]	Deaths	Marriages	Marriages Dissolved	Fetal Deaths[1]	Deaths Under 1 year	Birth Rate[2]	Death Rate[2]	Marriage Rate[3]	Dissolved Rate[3]	Fetal Death Ratio[4]	Infant Mortality Rate[4]
Residents[6]													
1927	.....	29,091	16,652	NOT AVAILABLE		...	1,700	18.8	10.8	....	....	...	58.4
1930	.....	27,701	17,251	...	.....	...	1,533	17.2	10.7	....	....	...	55.3
1940	.....	25,074	18,063	...	.....	...	866	14.6	10.6	....	....	...	34.5
1950	.....	40,485	19,144	...	.....	...	892	20.1	9.5	....	....	...	22.0
1960	.....	56,659	23,847	...	.....	...	1,194	22.3	9.4	....	....	...	21.1
1961	.....	57,046	23,839	...	.....	...	1,271	21.9	9.2	....	....	...	22.3
1962	.....	55,480	24,758	...	.....	...	1,255	20.9	9.3	....	....	...	22.6
1963	.....	56,476	25,632	...	.....	...	1,290	20.9	9.5	....	....	...	22.8
1964	.....	56,611	25,195	...	.....	...	1,173	20.5	9.1	....	....	...	20.7
1965	.....	54,208	25,623	...	.....	...	1,203	19.3	9.1	....	....	...	22.2
1966	.....	52,131	26,065	...	.....	...	1,104	18.2	9.1	....	....	...	21.2
1967	.....	49,840	26,054	...	.....	...	957	17.1	9.0	....	....	...	19.2
1968	.....	48,633	26,688	...	.....	...	934	16.5	9.1	....	....	...	19.2
1969	.....	50,146	26,193	...	.....	...	941	16.7	8.7	....	....	...	18.8
1970	.....	50,738	25,953	...	.....	...	872	16.7	8.6	....	....	...	17.2
1971	.....	45,633	26,107	...	.....	...	713	15.1	8.6	....	....	...	15.6
1972	.....	39,477	26,314	...	.....	...	647	12.9	8.6	....	....	...	16.4
1973	.....	37,435	26,726	...	.....	...	554	12.2	8.7	....	....	...	14.8
1974	.....	36,767	26,181	...	.....	...	573	12.0	8.6	....	....	...	15.6
1975	.....	35,971	25,762	...	.....	...	556	11.7	8.4	....	....	...	15.5
1976	.....	35,607	26,152	...	.....	...	508	11.6	8.5	....	....	...	14.3
1977	.....	36,632	25,544	...	.....	...	486	11.9	8.3	....	....	...	13.3
1978	.....	37,112	25,941	...	.....	...	428	12.0	8.4	....	....	...	11.5
1979	.....	38,648	25,955	...	.....	...	466	12.5	8.4	....	....	...	12.1
1980	.....	38,750	27,258	...	.....	...	429	12.5	8.8	....	....	...	11.1

[1]Fetal deaths included with live births prior to 1887.

[2]Per 1,000 population.

[3]"Persons married or divorced" per 1,000 population.

[4]Per 1,000 live births.

[5]Occurring in Connecticut to residents and non-residents of the state. Complete data 1848-1899 last published in the 130th Registration Report for the year 1977.

[6]Births and deaths to Connecticut residents occurring anywhere in the United States or Canada. Complete data 1927-1959 last published in 130th Registration Report for the year 1977.

*United States Census for Connecticut. Population of Connecticut for intervening years adjusted to the decennial census.

TABLE II-DEATHS AND DEATH RATES PER 100,000 POPULATION FROM SELECTED CAUSES: CONNECTICUT, 1900-1980

YEAR	*Tuberculosis, all forms (010-018)		Tuberculosis of respiratory system (010-012)		Syphilis (090-097)		Typhoid and paratyphoid fevers (002)		Streptococcal sore throat and scarlatina (034)		Diphtheria (032)		Whooping cough (033)		Meningococcal infections (036)		Acute poliomyelitis (045)		Measles (055)	
Place of Occurrence[1]	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
1900	1702	187.4	1539	169.4	48	5.3	278	30.6	-	-	314	34.6	144	15.9	54	5.9	-	-	189	20.8
1910	1674	149.7	1524	147.2	122	10.9	166	14.8	-	-	273	24.4	160	14.3	42	3.8	37	3.3	98	8.8
1920	1654	118.9	1403	100.8	167	12.0	58	4.2	-	-	236	17.0	218	15.7	65	4.7	26	1.9	138	9.9
Residence[2]																				
1930	981	61.0	843	52.4	149	9.3	14	0.9	-	-	33	2.1	33	2.1	28	1.7	17	1.1	7	0.4
1940	609	35.6	555	32.4	146	8.5	4	0.2	5	0.3	3	0.2	5	0.3	6	0.4	3	0.2	4	0.2
1950	332	16.5	310	15.4	77	3.8	-	-	1	0.05	1	0.05	3	0.1	9	0.4	21	1.0	1	0.05
1960**	88	3.5	83	3.3	17	0.7	-	-	-	-	-	-	-	-	4	0.2	5	0.2	6	0.2
1961	103	4.0	94	3.6	16	0.6	-	-	1	0.04	1	0.04	-	-	4	0.2	-	-	-	-
1962	99	3.7	93	3.5	23	0.9	-	-	1	0.04	-	-	-	-	9	0.3	-	-	6	0.2
1963	86	3.2	79	2.9	24	0.9	1	0.04	-	-	-	-	-	-	12	0.4	-	-	-	-
1964	69	2.5	56	2.0	31	1.1	-	-	-	-	-	-	-	-	10	0.4	-	-	2	0.1
1965	78	2.8	53	1.9	19	0.7	-	-	-	-	-	-	-	-	9	0.3	-	-	5	0.2
1966	71	2.5	66	2.3	20	0.7	-	-	2	0.1	-	-	1	0.04	12	0.4	-	-	-	-
1967	67	2.3	65	2.2	11	0.4	-	-	-	-	-	-	-	-	8	0.3	-	-	-	-
1968	50	1.7	48	1.6	15	0.5	-	-	-	-	-	-	-	-	8	0.3	-	-	-	-
1969	37	1.2	21	0.7	4	0.1	-	-	-	-	-	-	-	-	9	0.3	-	-	-	-
1970**	51	1.7	39	1.3	4	0.1	-	-	-	-	-	-	-	-	9	0.3	-	-	-	-
1971	42	1.4	28	0.9	5	0.2	-	-	-	-	-	-	-	-	3	0.1	-	-	1	0.03
1972	50	1.6	40	1.3	2	0.1	-	-	1	0.03	-	-	-	-	3	0.1	-	-	-	-
1973	34	1.1	25	0.8	2	0.1	-	-	-	-	-	-	-	-	3	0.1	-	-	1	0.03
1974	35	1.1	25	0.8	3	0.1	-	-	1	0.03	-	-	-	-	-	-	-	-	-	-
1975	26	0.8	20	0.7	5	0.2	-	-	-	-	-	-	-	-	2	0.1	1	0.03	-	-
1976	39	1.3	31	1.0	3	0.1	-	-	-	-	-	-	-	-	5	0.2	-	-	-	-
1977	18	0.6	11	0.4	1	0.03	-	-	-	-	-	-	-	-	5	0.2	-	-	-	-
1978	28	0.9	19	0.6	2	0.1	-	-	-	-	-	-	-	-	7	0.2	-	-	1	0.03
1979	13	0.4	5	0.2	2	0.1	-	-	-	-	-	-	-	-	3	0.1	-	-	-	-
1980**	13	0.4	12	0.4	1	0.03	-	-	-	-	-	-	-	-	7	0.2	-	-	-	-

TABLE II-DEATHS AND DEATH RATES PER 100,000 POPULATION FROM SELECTED CAUSES: CONNECTICUT, 1900-1980 (Cont'd.)

YEAR	Malignant neoplasms (140-208)		Other neoplasms* (210-239)		Diabetes (250)		Active rheumatic fever (390-392)		Chronic rheumatic heart disease (393-398)		Cardiovascular renal diseases (390-448, 580-589)		Cerebrovascular disease (430-438)		Diseases of the heart (390-398 402, 404-429)		Diseases of the arteries (440-448)		Nephritis and nephrosis (580-589)	
Place of Occurrence[1]	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
1900	608	66.9	-	-	124	13.7	-	-	-	-	2946	324.3	897	98.7	1018	112.1	102	11.2	929	102.3
1910	896	80.1	-	-	207	18.5	86	7.7	-	-	4655	416.3	1125	100.6	1900	169.9	483	43.2	1147	102.6
1920	1399	100.5	-	-	292	21.0	51	3.7	-	-	5227	375.6	1491	107.1	2062	148.2	448	32.2	1226	88.1
Residence[2]																				
1930	1929	119.9	-	-	302	18.8	39	2.4	-	-	7320	454.8	1515	94.1	4206	261.3	366	22.7	1233	76.6
1940	2665	155.7	127	7.4	455	26.6	53	3.1	251	14.7	8953	523.0	1852	108.2	5609	327.7	402	23.5	1090	63.7
1950	3427	170.0	74	3.7	390	19.3	20	1.0	273	13.5	10846	537.9	1915	95.0	8088	401.1	462	22.9	225	11.2
1960	4444	175.3	74	2.9	515	20.3	4	0.2	287	11.3	13139	518.3	2551	100.6	9561	377.1	710	28.0	159	6.3
1961	4343	167.0	62	2.4	473	18.2	5	0.2	305	11.7	13302	511.4	2611	100.4	9567	367.8	791	30.4	136	5.2
1962	4518	170.1	89	3.3	506	19.0	15	0.6	262	9.9	13695	515.5	2519	94.8	9973	375.4	866	32.6	135	5.1
1963	4520	167.3	97	3.6	508	18.8	12	0.4	262	9.7	14221	526.2	2778	102.8	10294	380.9	826	30.6	133	4.9
1964	4719	170.8	86	3.1	468	16.9	12	0.4	288	10.4	13901	503.1	2600	94.1	10160	367.7	855	30.9	119	4.3
1965	4582	163.0	87	3.1	466	16.6	5	0.2	243	8.6	14186	504.7	2672	95.1	10332	367.6	862	30.7	143	5.1
1966	4673	163.6	110	3.9	472	16.5	3	0.1	271	9.5	14364	502.9	2825	98.9	10342	362.1	877	30.7	141	4.9
1967	4818	165.6	73	2.5	516	17.7	-	-	239	8.2	14273	490.6	2772	95.3	10393	357.2	849	29.2	103	3.5
1968	5017	170.4	82	2.8	554	18.8	-	-	252	8.6	14375	488.4	2787	94.7	10500	356.7	787	26.7	124	4.2
1969	5102	170.5	85	2.8	550	18.4	1	0.03	220	7.4	13981	467.1	2727	91.1	10167	339.7	841	28.1	101	3.4
1970	5116	168.8	81	2.7	499	16.4	1	0.03	231	7.6	13945	460.0	2751	90.7	10188	336.1	809	26.7	87	2.9
1971	5185	170.6	102	3.4	522	17.2	3	0.1	206	6.8	14023	461.4	2688	88.4	10216	336.1	943	31.0	67	2.2
1972	5388	176.8	64	2.1	508	16.7	3	0.1	222	7.3	14185	465.6	2784	91.4	10056	330.0	1137	37.3	70	2.3
1973	5474	179.2	83	2.7	517	16.9	5	0.2	227	7.4	14462	473.5	2895	94.8	10514	344.2	863	28.8	101	3.3
1974	5691	185.9	87	2.8	514	16.8	7	0.2	177	5.8	13856	452.5	2734	89.3	10048	328.1	886	28.9	70	2.3
1975	5909	192.5	92	3.0	459	15.0	7	0.2	206	6.7	13449	438.1	2495	81.3	9956	324.3	826	26.9	78	2.5
1976	5844	189.9	104	3.4	512	16.6	5	0.2	180	5.8	13582	441.4	2472	80.3	10050	326.6	895	29.1	86	2.8
1977	6043	195.9	94	3.0	442	14.3	3	0.1	190	6.2	13299	431.1	2275	73.7	10061	326.1	816	26.5	76	2.5
1978	5977	193.3	98	3.2	433	14.0	3	0.1	214	6.9	13358	432.0	2384	77.1	10022	324.1	774	25.0	106	3.4
1979	6164	198.8	48	1.5	411	13.3	1	0.03	117	3.8	13374	431.4	2157	69.6	10110	326.1	787	25.4	205	6.6
1980	6510	209.5	45	1.4	392	12.6	4	0.1	104	3.3	13773	443.2	2081	67.0	10338	332.7	1020	32.8	207	6.7

TABLE II-DEATHS AND DEATH RATES PER 100,000 POPULATION FROM SELECTED CAUSES: CONNECTICUT, 1900-1980 (Cont'd.)

Place of Occurrence[1]	Influenza (487)		Pneumonia (480-486)		Emphysema (492)		Peptic ulcer (531-533)		Gastritis, enteritis etc., (under 2 yrs.) (008,009,535, 555-558)		Appendicitis (540-543)		Hernia and intestinal obstruction (550-553, 560)		Complications of pregnancy, childbirth, puerperium[3] (630-676)		Congenital anomalies (740-759)		Accidents, total (E800-E949)	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
1900	667	73.4	1504	165.6	-	-	16	1.8	-	-	87	9.6	113	12.4	227	55.0	-	-	752	82.8
1910	264	23.6	1768	158.1	-	-	38	3.4	1085	97.0	98	8.8	135	12.1	140	51.3	160	14.3	855	76.5
1920	1256	90.3	2073	149.0	-	-	41	2.9	696	50.0	134	9.6	140	10.1	197	57.7	207	14.9	1029	73.6
Residence[2]																				
1930	223	13.9	1435	89.2	-	-	82	5.1	171	10.6	212	13.2	170	10.6	144	52.0	151	9.4	1148	71.3
1940	87	5.1	700	40.9	-	-	109	6.4	41	2.4	149	8.7	162	9.5	75	29.9	148	8.6	1090	63.7
1950	10	0.5	289	14.3	6	0.3	116	5.8	20	1.0	30	1.5	116	5.8	18	4.4	220	10.9	921	45.7
1960**	23	0.9	841	33.2	120	4.7	179	7.1	8	0.3	25	1.0	126	5.0	8	1.4	297	11.7	881	34.8
1961	5	0.2	877	33.7	125	4.8	154	5.9	13	0.5	21	0.8	126	4.8	15	2.6	296	11.4	856	32.9
1962	13	0.5	852	32.1	135	5.1	165	6.2	14	0.5	23	0.9	104	3.9	20	3.6	295	11.1	918	34.6
1963	41	1.5	1035	38.3	163	6.0	169	6.3	17	0.6	18	0.7	108	4.0	7	1.2	282	10.4	977	36.2
1964	-	-	869	31.4	192	6.9	170	6.2	12	0.4	24	0.9	122	4.4	16	2.8	292	10.6	960	34.7
1965	19	0.7	946	33.7	193	6.9	151	5.4	13	0.5	12	0.4	130	4.6	12	2.2	293	10.4	1070	38.1
1966	7	0.2	1002	35.1	238	8.3	141	4.9	8	0.3	20	0.7	107	3.7	3	0.6	255	8.9	1094	38.3
1967	3	0.1	909	31.2	242	8.3	152	5.2	8	0.3	18	0.6	104	3.6	8	1.6	222	7.6	1188	40.8
1968	84	2.9	1027	34.9	269	9.1	133	4.5	6	0.2	16	0.5	128	4.3	9	1.9	214	7.3	1156	39.3
1969	74	2.5	973	32.5	251	8.4	104	3.5	11	0.4	22	0.7	80	2.7	8	1.6	251	8.4	1095	36.6
1970**	19	0.6	805	26.6	279	9.2	109	3.6	8	0.3	13	0.4	99	3.3	4	0.8	244	8.0	1073	35.4
1971	47	1.5	803	26.4	274	9.0	106	3.5	7	0.2	14	0.5	92	3.0	7	1.5	191	6.3	1110	36.5
1972	74	2.4	754	24.7	215	7.1	85	2.8	3	0.1	7	0.2	79	2.6	2	0.5	166	5.4	1082	35.5
1973	54	1.8	755	24.7	202	6.6	110	3.6	3	0.1	15	0.5	96	3.1	6	1.6	158	5.2	1104	36.1
1974	38	1.2	770	25.1	224	7.3	82	2.7	7	0.2	9	0.3	66	2.2	4	1.1	161	5.3	973	31.8
1975	31	1.0	704	22.9	183	6.0	72	2.3	1	0.03	8	0.3	76	2.5	5	1.4	151	4.9	936	30.5
1976	174	5.7	789	25.6	173	5.6	79	2.6	3	0.1	6	0.2	69	2.2	1	0.3	148	4.8	951	30.9
1977	3	0.1	640	20.7	156	5.1	80	2.6	4	0.1	2	0.1	59	1.9	2	0.5	166	5.4	1419	46.0
1978	54	1.7	744	24.1	156	5.0	59	1.9	6	0.2	6	0.2	67	2.2	1	0.3	133	4.3	1016	32.9
1979	3	0.1	642	20.7	141	4.5	51	1.6	-	-	6	0.2	55	1.8	3	0.8	153	4.9	1067	34.4
1980	78	2.5	825	26.5	93	3.0	65	2.1	-	-	9	0.3	62	2.0	2	0.5	164	5.3	1105	35.6

TABLE II-DEATHS AND DEATH RATES PER 100,000 POPULATION FROM SELECTED CAUSES: CONNECTICUT, 1900-1980 (Cont'd.)

YEAR	Motor vehicle accidents (E810-E825)		Home accidents[4]		Drowning (E910)		Suicide (E950-E959)		Homicide and legal intervention (E960-E978)	
Place of Occurrence[1]	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
1900	-	-	-	-	126	13.9	118	13.0	-	-
1910	33	3.0	-	-	120	10.7	202	18.1	23	2.1
1920	243	17.5	-	-	118	8.5	155	11.1	53	3.8
Residence[2]										
1930	422	27.2	-	-	116	7.2	271	16.8	50	3.1
1940	361	21.1	412	24.1	86	5.0	318	18.6	34	2.0
1950	280	13.9	445	22.1	66	3.3	237	11.8	28	1.4
1950	299	11.8	320	12.6	58	2.3	249	9.8	50	2.0
1961	302	11.6	313	12.0	50	1.9	240	9.2	33	1.3
1962	345	13.0	316	11.9	65	2.4	275	10.4	44	1.7
1963	369	13.7	321	11.9	43	1.6	273	10.1	51	1.9
1964	363	13.1	304	11.0	52	1.9	278	10.1	52	1.9
1965	437	15.5	330	11.7	62	2.2	262	9.3	56	2.0
1966	450	15.8	295	10.3	71	2.5	301	10.5	70	2.5
1967	509	17.5	331	11.3	77	2.6	276	9.5	76	2.6
1968	508	17.3	345	11.7	50	1.7	270	9.2	79	2.7
1969	465	15.5	304	10.2	66	2.2	315	10.5	99	3.3
1970	485	16.0	279	9.2	76	2.5	308	10.2	120	4.0
1971	518	17.0	305	10.0	57	1.9	302	9.9	111	3.7
1972	499	16.4	313	10.3	59	1.9	308	10.1	110	3.6
1973	554	18.1	283	9.3	66	2.2	287	9.4	113	3.7
1974	424	13.8	273	8.9	58	1.9	269	8.8	109	3.6
1975	448	14.6	229	7.5	77	2.5	324	10.6	137	4.5
1976	457	14.9	287	9.3	43	1.4	319	10.4	113	3.7
1977	449	14.6	244	7.9	53	1.7	283	9.2	141	4.6
1978	488	15.8	NA	---	57	1.8	330	10.7	126	4.1
1979	585	18.9	NA	---	32	1.0	275	8.9	144	4.6
1980	577	18.6	NA	---	78	2.5	281	9.0	168	5.4

NOTES:

*All causes are listed according to the 9th Revision of the International Classification of Diseases, which became effective in 1979. For comparison between revisions it will be necessary to consult comparability ratios published by the National Center for Health Statistics.

**Rates have been adjusted to decennial census. Rates for intervening years were calculated using the intercensal population adjustments.

[1]Place of occurrence. Events occurring in Connecticut.

[2]Place of residence. Events occurring to residents of Connecticut occurring in Connecticut, other states and Canada.

[3]Death rates from complications of pregnancy, childbirth and puerperium are per 10,000 live births.

[4]Prior to 1949 and from 1969 on, the count for fatal home accidents was taken from the National Safety Council classification.

NA Not Available.

- No deaths reported.

TABLE III-CONNECTICUT INTERCENSAL AGE AND SEX POPULATION ESTIMATE ADJUSTMENT 1970-1980**

TOTAL POPULATION

Age Group	1970*	1971	1972	1973	1974	1975	1976	1977	1978	1979	1980*
All ages	3,031,709	3,039,295	3,046,884	3,054,470	3,062,055	3,069,652	3,077,230	3,084,817	3,092,401	3,099,992	3,107,576
Under 5 years	253,262	246,455	239,647	232,840	226,032	219,226	212,418	205,611	198,803	191,996	185,188
5- 9 years	295,966	286,945	277,924	268,903	259,882	250,863	241,842	232,821	223,800	214,779	205,758
10-14 years	304,211	299,418	294,625	289,833	285,040	280,247	275,454	270,661	265,869	261,076	256,283
15-19 years	264,053	266,486	268,919	271,352	273,785	276,219	278,651	281,084	283,517	285,950	288,383
20-24 years	229,794	234,053	238,311	242,571	246,829	251,088	255,347	259,605	263,865	268,123	272,382
25-29 years	206,011	210,336	214,661	218,986	223,311	227,636	231,960	236,285	240,610	244,935	249,260
30-34 years	168,754	176,066	183,378	190,690	198,002	205,314	212,625	219,938	227,249	234,562	241,873
35-39 years	167,428	171,133	174,838	178,543	182,248	185,954	189,659	193,364	197,069	200,774	204,479
40-44 years	188,519	186,149	183,780	181,410	179,041	176,671	174,301	171,932	169,562	167,193	164,823
45-49 years	196,352	192,881	189,412	185,941	182,471	179,001	175,530	172,060	168.589	165,120	161,649
50-54 years	185,339	184,530	183,722	182,913	182,104	181,296	180,487	179,678	178,869	178,061	177,252
55-59 years	157,029	159,197	161,366	163,534	165,702	167,871	170,039	172,207	174,375	176,544	178,712
60-64 years	126,083	129,142	132,201	135,259	138,318	141,377	144,435	147,494	150,552	153,611	156,670
65-69 years	96,959	99,905	102,850	105,796	108,742	111,688	114,632	117,578	120,524	123,469	126,415
70-74 years	77,851	79,396	80,942	82,486	84,031	85,577	87,122	88,667	90,211	91,757	93,302
75-79 years	57,158	58,050	58,942	59,835	60,727	61,620	62,512	63,404	64,297	65,189	66,081
80-84 years	34,518	35,400	36,282	37,164	38,045	38,928	39,810	40,691	41,573	42,455	43,337
85 years and over	22,422	23,753	25,084	26,414	27,745	29,076	30,406	31,737	33,067	34,398	35,729

*U.S. Census for Connecticut.

**Prepared by Department of Health Services, Division of Health Statistics.

TABLE III-CONNECTICUT INTERCENSAL AGE AND SEX POPULATION ESTIMATE ADJUSTMENT 1970-1980**

MALES

Age Group	1970*	1971	1972	1973	1974	1975	1976	1977	1978	1979	1980*
All ages	1,470,487	1,473,240	1,475,990	1,478,743	1,481,494	1,484,249	1,486,998	1,489,751	1,492,502	1,495,254	1,498,005
Under 5 years	128,574	125,165	121,755	118,346	114,936	111,527	108,117	104,708	101,298	97,889	94,479
5- 9 years	150,957	146,412	141,867	137,322	132,777	128,233	123,688	119,143	114,598	110,053	105,508
10-14 years	154,760	152,342	149,924	147,507	145,089	142,671	140,253	137,835	135,418	133,000	130,582
15-19 years	133,184	134,493	135,802	137,111	138,420	139,730	141,039	142,348	143,657	144,966	146,275
20-24 years	108,196	110,913	113,629	116,346	119,062	121,779	124,496	127,212	129,929	132,645	135,362
25-29 years	101,552	103,715	105,878	108,041	110,204	112,367	114,530	116,693	118,856	121,019	123,182
30-34 years	82,904	86,356	89,807	93,259	96,710	100,162	103,613	107,065	110,516	113,968	117,419
35-39 years	81,649	83,446	85,243	87,040	88,837	90,634	92,431	94,228	96,025	97,822	99,619
40-44 years	91,984	90,769	89,555	88,340	87,126	85,911	84,696	83,482	82,267	81,053	79,838
45-49 years	95,087	93,401	91,716	90,030	88,345	86,659	84,973	83,288	81,602	79,917	78,231
50-54 years	89,662	89,259	88,856	88,453	88,050	87,647	87,244	86,841	86,438	86,035	85,632
55-59 years	76,085	77,005	77,925	78,845	79,765	80,685	81,605	82,525	83,445	84,365	85,285
60-64 years	59,099	60,497	61,895	63,293	64,691	66,089	67,486	68,884	70,282	71,680	73,078
65-69 years	42,198	43,622	45,045	46,469	47,893	49,317	50,740	52,164	53,588	55,011	56,435
70-74 years	31,665	32,337	33,009	33,680	34,352	35,024	35,696	36,368	37,039	37,711	38,383
75-79 years	22,421	22,612	22,803	22,995	23,186	23,377	23,568	23,759	23,951	24,142	24,333
80-84 years	12,825	12,948	13,070	13,193	13,315	13,438	13,561	13,683	13,806	13,928	14,051
85 years and over	7,685	7,948	8,211	8,473	8,736	8,999	9,262	9,525	9,787	10,050	10,313

*U.S. Census for Connecticut.

**Prepared by Department of Health Services, Division of Health Statistics.

TABLE III-CONNECTICUT INTERCENSAL AGE AND SEX POPULATION ESTIMATES ADJUSTMENT 1970-1980**

FEMALES

Age Group	1970*	1971	1972	1973	1974	1975	1976	1977	1978	1979	1980*
All ages	1,561,222	1,566,055	1,570,894	1,575,727	1,580,561	1,585,403	1,590,232	1,595,066	1,599,899	1,604,738	1,609,571
Under 5 years	124,688	121,290	117,892	114,494	111,096	107,699	104,301	100,903	97,505	94,107	90,709
5- 9 years	145,009	140,533	136,057	131,581	127,105	122,630	118,154	113,678	109,202	104,726	100,250
10-14 years	149,451	147,076	144,701	142,326	139,951	137,576	135,201	132,826	130,451	128,076	125,701
15-19 years	130,869	131,993	133,117	134,241	135,365	136,489	137,612	138,736	139,860	140,984	142,108
20-24 years	121,598	123,140	124,682	126,225	127,767	129,309	130,851	132,393	133,936	135,478	137,020
25-29 years	104,459	106,621	108,783	110,945	113,107	115,269	117,430	119,592	121,754	123,916	126,078
30-34 years	85,850	89,710	93,571	97,431	101,292	105,152	109,012	112,873	116,733	120,594	124,454
35-39 years	85,779	87,687	89,595	91,503	93,411	95,320	97,228	99,136	101,044	102,952	104,860
40-44 years	96,535	95,380	94,225	93,070	91,915	90,760	89,605	88,450	87,295	86,140	84,985
45-49 years	101,265	99,480	97,696	95,911	94,126	92,342	90,557	88,772	86,987	85,203	83,418
50-54 years	95,677	95,271	94,866	94,460	94,054	93,649	93,243	92,837	92,431	92,026	91,620
55-59 years	80,944	82,192	83,441	84,689	85,937	87,186	88,434	89,682	90,930	92,179	93,427
60-64 years	66,984	68,645	70,306	71,966	73,627	75,288	76,949	78,610	80,270	81,931	83,592
65-69 years	54,761	56,283	57,805	59,327	60,849	62,371	63,892	65,414	66,936	68,458	69,980
70-74 years	46,186	47,059	47,933	48,806	49,679	50,553	51,426	52,299	53,172	54,046	54,919
75-79 years	34,737	35,438	36,139	36,840	37,541	38,243	38,944	39,645	40,346	41,047	41,748
80-84 years	21,693	22,452	23,212	23,971	24,730	25,490	26,249	27,008	27,767	28,527	29,286
85 years and over	14,737	15,805	16,873	17,941	19,009	20,077	21,144	22,212	23,280	24,348	25,416

*U.S. Census for Connecticut.

**Prepared by Department of Health Services, Division of Health Statistics.